


BX88437 Mud Flap Trim Plates Installation Instructions

Serial Number




Bolt Torque Conversion Table				
Inch-Pound (in-lbs)	Foot Pounds (ft-lbs)	Newton-Meters (N-m)	Kilogram-Centimeters (kgf-cm)	
20	1.7	2.3	23	
30	2.5	3.4	34	
70	5.87	7.9	79	
80	6.7	9.0	90	
180	15	20	203	
1500	125	169	1690	

Please read these Installation Instructions in their entirety prior to installing or operating this equipment.

WARNING: This product can expose you to chemicals including chromium, which is known to the state of California to cause cancer. For more information go to www.P65Waring.ca.gov.

BX88437 Mud Flap Trim Plates Installation Instructions




Important:

Use only genuine factory replacement parts on your hitch. Do NOT substitute homemade or non-typical parts. If a bolt is lost or in need of replacement, for your safety and the preservation of your hitch, be sure to use a replacement bolt of the same grade. Replacement parts may be ordered through Blue Ox®. Failing to follow and/or altering these installation instructions in either installation or required equipment will void the manufacturer's warranty.

Installation Instructions:

NOTE: Mud Flap Trim Plates are designed to be used with the Mud Flap System.

- Remove existing Trim Plates by unscrewing the eight (8) M6 Trim Plate Bolts as shown in Figure 1.
- 2. Assemble new Trim Plates with eight (8) M6 Trim Plate Bolts, M6 Flat Washer and M6 Nylon Insert Hex Nuts as shown in **Figure 1**. (20 in-lbs Torque)



BX88437 Mud Flap Trim Plates Installation Instructions

Mud Flap Systems

BX88420	Mud Flap System, 2" Hitch
BX88421	Mud Flap System, 2-1/2" Hitch

Mud Flap System Accessory Kits

BX88429	Kit, Mud Flap Exhaust Outlet 2 Pack
BX88430	Kit, Mud Flap Rock Screen
BX88431	Kit, Mud Flap Heat Shield
BX88435	Kit, Mud Flap 3" Center Hub
BX88436	Kit, Mud Flap Wall Mount

CUSTOMER SERVICE COMMITMENT

Blue Ox® is committed to providing you with exceptional customer care throughout your lifetime with our products. Our team is here to assist you with any questions you may have regarding the performance of your product. Simply call (402) 385-3051 and you can speak with our technical service team.

Additionally, please visit our website to see which rallies our team will be attending. For a nominal fee, our service technician will service your towing system to ensure it's in proper working condition. Also, as a commitment to our customers, should you visit our factory, you can stay at our full service Blue Ox® campground at no charge along with enjoying a factory tour.

Again, thank you for being our customer and for the confidence you have shown in the performance of our products. It is because of customers like you we enjoy the success we have today.

© 2022 Blue Ox One Mill Road, Industrial Park Pender, Nebraska 68047 Phone: (402) 385-3051 Fax: (402) 385-3360 www.blueox.com