

## 20218 MOTORBIKE AIR FILTER CLEANER 1L

#### Liqui Moly GmbH

Chemwatch: **71-4423** Version No: **3.1.1.1** 

Safety Data Sheet according to OSHA HazCom Standard (2012) requirements

#### Chemwatch Hazard Alert Code: 2

Issue Date: 01/11/2019 Print Date: 01/04/2020 S.GHS.USA.EN

## **SECTION 1 IDENTIFICATION**

#### **Product Identifier**

Product name	20218 MOTORBIKE AIR FILTER CLEANER 1L
Synonyms	Item No: 20218
Other means of identification	Not Available

#### Recommended use of the chemical and restrictions on use

Relevant identified uses Cleaner.

#### Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Registered company name	Liqui Moly GmbH
Address	Jerg-Wieland-Strasse 4 Ulm D-89081 Germany
Telephone	+49 731 1420 0
Fax	+49 731 1420 82
Website	http://www.liqui-moly.com/
Email	Not Available


#### **Emergency phone number**

Association / Organisation	INFOTRAC
Emergency telephone numbers	+1800 535 5053 (US, Canada & Mexico)
Other emergency telephone numbers	+1 352 323 3500 (International)

## **SECTION 2 HAZARD(S) IDENTIFICATION**

## Classification of the substance or mixture

#### CHEMWATCH HAZARD RATINGS





Note: The hazard category numbers found in GHS classification in section 2 of this SDSs are NOT to be used to fill in the NFPA 704 diamond. Blue = Health Red = Fire Yellow = Reactivity White = Special (Oxidizer or water reactive substances)

Classification

Serious Eye Damage Category 1, Carcinogenicity Category 2

Label elements

## Hazard pictogram(s)





SIGNAL WORD

DANGER

## Hazard statement(s)

H318	Causes serious eye damage.
H351	Suspected of causing cancer.

Hazard(s) not otherwise classified

Issue Date: **01/11/2019**Print Date: **01/04/2020** 

Not Applicable

#### Precautionary statement(s) Prevention

P201	Obtain special instructions before use.	
P280	Vear protective gloves/protective clothing/eye protection/face protection.	
P281	Use personal protective equipment as required.	

#### Precautionary statement(s) Response

P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P310	Immediately call a POISON CENTER or doctor/physician.

## Precautionary statement(s) Storage

P405 Store locked up.

#### Precautionary statement(s) Disposal

P501 Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.

### **SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS**

#### Substances

See section below for composition of Mixtures

#### Mixtures

CAS No	%[weight]	Name
5064-31-3	10-<20	nitrilotriacetic acid, trisodium salt
28348-53-0	1-<20	sodium cumenesulfonate
68891-38-3	1-5	sodium linear-(C12-14)alkyl ether sulfate
69011-36-5	1-<5	tridecanol, branched, ethoxylated

#### **SECTION 4 FIRST-AID MEASURES**

## Description of first aid measures

Eye Contact	<ul> <li>If this product comes in contact with the eyes:</li> <li>Wash out immediately with fresh running water.</li> <li>Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids.</li> <li>Seek medical attention without delay; if pain persists or recurs seek medical attention.</li> <li>Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.</li> </ul>
Skin Contact	If skin or hair contact occurs:  Flush skin and hair with running water (and soap if available).  Seek medical attention in event of irritation.
Inhalation	<ul> <li>If fumes, aerosols or combustion products are inhaled remove from contaminated area.</li> <li>Other measures are usually unnecessary.</li> </ul>
Ingestion	<ul> <li>Immediately give a glass of water.</li> <li>First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.</li> </ul>

#### Most important symptoms and effects, both acute and delayed

See Section 11

## Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5 FIRE-FIGHTING MEASURES**

#### Extinguishing media

- ► There is no restriction on the type of extinguisher which may be used.
- Use extinguishing media suitable for surrounding area.

## Special hazards arising from the substrate or mixture

▶ Avoid contamination with oxidising agents i.e. nitrates, oxidising acids, chlorine bleaches, pool chlorine etc. as ignition may result

## Special protective equipment and precautions for fire-fighters

Fire Fighting

- ▶ Alert Fire Brigade and tell them location and nature of hazard.
- Wear breathing apparatus plus protective gloves in the event of a fire.
- Prevent, by any means available, spillage from entering drains or water courses.
- ▶ Use fire fighting procedures suitable for surrounding area.

Version No: 3.1.1.1

## 20218 MOTORBIKE AIR FILTER CLEANER 1L

Issue Date: **01/11/2019**Print Date: **01/04/2020** 

► However, it will break down

- The material is not readily combustible under normal conditions.
   However, it will break down under fire conditions and the organic component may burn.
- ▶ Not considered to be a significant fire risk.
- ▶ Heat may cause expansion or decomposition with violent rupture of containers.

Other decomposition products include:

Fire/Explosion Hazard ca

carbon dioxide (CO2) nitrogen oxides (NOx) sulfur oxides (SOx)

other pyrolysis products typical of burning organic material.

May emit poisonous fumes. May emit corrosive fumes.

## **SECTION 6 ACCIDENTAL RELEASE MEASURES**

## Personal precautions, protective equipment and emergency procedures

See section 8

#### **Environmental precautions**

See section 12

## Methods and material for containment and cleaning up

	• •
Minor Spills	<ul> <li>Clean up all spills immediately.</li> <li>Avoid breathing vapours and contact with skin and eyes.</li> <li>Control personal contact with the substance, by using protective equipment.</li> <li>Contain and absorb spill with sand, earth, inert material or vermiculite.</li> </ul>
Major Spills	Moderate hazard.  • Clear area of personnel and move upwind.  • Alert Fire Brigade and tell them location and nature of hazard.  • Wear breathing apparatus plus protective gloves.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

#### **SECTION 7 HANDLING AND STORAGE**

#### Precautions for safe handling

Safe handling	<ul> <li>Avoid all personal contact, including inhalation.</li> <li>Wear protective clothing when risk of exposure occurs.</li> <li>Use in a well-ventilated area.</li> <li>Avoid contact with moisture.</li> </ul>
Other information	<ul> <li>Store in original containers.</li> <li>Keep containers securely sealed.</li> <li>Store in a cool, dry, well-ventilated area.</li> <li>Store away from incompatible materials and foodstuff containers.</li> </ul>

## Conditions for safe storage, including any incompatibilities

<ul> <li>▶ Polyethylene or polypropylene container.</li> <li>▶ Packing as recommended by manufacturer.</li> <li>▶ Check all containers are clearly labelled and free from leaks.</li> </ul>	
Storage incompatibility	Avoid reaction with oxidising agents

## **SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION**

## Control parameters

## OCCUPATIONAL EXPOSURE LIMITS (OEL)

### INGREDIENT DATA

Not Available

## EMERGENCY LIMITS

Ingredient	Material name		TEEL-1	TEEL-2	TEEL-3	
nitrilotriacetic acid, trisodium salt	Nitrilotriacetic acid, trisodium salt, monohydrate		1.6 mg/m3	18 mg/m3	110 mg/m3	
Ingredient	Original IDLH Revised IDLH					
nitrilotriacetic acid, trisodium salt	Not Available		Not Available			
sodium cumenesulfonate	Not Available		Not Available			
sodium linear-(C12-14)alkyl ether sulfate	Not Available		Not Available			
tridecanol, branched, ethoxylated	Not Available		Not Available			

#### OCCUPATIONAL EXPOSURE BANDING

Ingredient	Occupational Exposure Band Rating	Occupational Exposure Band Limit
nitrilotriacetic acid, trisodium salt	E	≤ 0.01 mg/m³
sodium cumenesulfonate	E	≤ 0.01 mg/m³

Version No: **3.1.1.1** 

#### 20218 MOTORBIKE AIR FILTER CLEANER 1L

Issue Date: **01/11/2019**Print Date: **01/04/2020** 

sodium linear-(C12-14)alkyl ether sulfate	E	≤ 0.01 mg/m³
tridecanol, branched, ethoxylated	Е	≤ 0.1 ppm
Notes:	Occupational exposure banding is a process of assigning chemicals into specific categories or bands based on a chemical's potency and the adverse health outcomes associated with exposure. The output of this process is an occupational exposure band (OEB), which corresponds to a range of exposure concentrations that are expected to protect worker health.	

#### **Exposure controls**

# Appropriate engineering controls

Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection. The basic types of engineering controls are:

Process controls which involve changing the way a job activity or process is done to reduce the risk.

Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment.

#### Personal protection











## Eye and face protection

- ► Safety glasses with side shields.
- Chemical goggles.
- Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task.

#### Skin protection

See Hand protection below

## Hands/feet protection

The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

The exact break through time for substances has to be obtained from the manufacturer of the protective gloves and has to be observed when making a final choice.

Personal hygiene is a key element of effective hand care.

- ▶ Wear chemical protective gloves, e.g. PVC.
- Wear safety footwear or safety gumboots, e.g. Rubber

## Body protection

See Other protection below

#### Other protection

- Overalls.PVC apron
- Barrier cream.

#### Respiratory protection

Type A-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

Selection of the Class and Type of respirator will depend upon the level of breathing zone contaminant and the chemical nature of the contaminant. Protection Factors (defined as the ratio of contaminant outside and inside the mask) may also be important.

Required minimum protection factor	Maximum gas/vapour concentration present in air p.p.m. (by volume)	Half-face Respirator	Full-Face Respirator
up to 10	1000	A-AUS / Class1 P2	-
up to 50	1000	-	A-AUS / Class 1 P2
up to 50	5000	Airline *	-
up to 100	5000	-	A-2 P2
up to 100	10000	-	A-3 P2
100+			Airline**

\* - Continuous Flow \*\* - Continuous-flow or positive pressure demand

 $A(All \ classes) = Organic \ vapours, \ B \ AUS \ or \ B1 = Acid \ gasses, \ B2 = Acid \ gas \ or \ hydrogen \ cyanide(HCN), \ B3 = Acid \ gas \ or \ hydrogen \ cyanide(HCN), \ E = Sulfur \ dioxide(SO2), \ G = Agricultural \ chemicals, \ K = Ammonia(NH3), \ Hg = Mercury, \ NO = Oxides \ of \ nitrogen, \ MB = Methyl \ bromide, \ AX = Low \ boiling \ point \ organic \ compounds(below 65 \ degC)$ 

- ► Cartridge respirators should never be used for emergency ingress or in areas of unknown vapour concentrations or oxygen content.
- The wearer must be warned to leave the contaminated area immediately on detecting any odours through the respirator. The odour may indicate that the mask is not functioning properly, that the vapour concentration is too high, or that the mask is not properly fitted. Because of these limitations, only restricted use of cartridge respirators is considered appropriate.
- Cartridge performance is affected by humidity. Cartridges should be changed after 2 hr of continuous use unless it is determined that the humidity is less than 75%, in which case, cartridges can be used for 4 hr. Used cartridges should be discarded daily, regardless of the length of time used

#### **SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES**

### Information on basic physical and chemical properties

Appearance	Green colour liquid with lemon odour; miscible with water. pH: 12.4		
Physical state	Liquid	Relative density (Water = 1)	1.05
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Available
pH (as supplied)	Not Available	Decomposition temperature	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available

Page 5 of 9

20218 MOTORBIKE AIR FILTER CLEANER 1L

Issue Date: 01/11/2019 Print Date: 01/04/2020

Initial boiling point and boiling range (°C)	>100	Molecular weight (g/mol)	Not Applicable
Flash point (°C)	Not Applicable	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Applicable	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Applicable	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	Not Applicable	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water	Miscible	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available

## **SECTION 10 STABILITY AND REACTIVITY**

Reactivity	See section 7
Chemical stability	<ul> <li>Unstable in the presence of incompatible materials.</li> <li>Product is considered stable.</li> <li>Hazardous polymerisation will not occur.</li> </ul>
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

## **SECTION 11 TOXICOLOGICAL INFORMATION**

## Information on toxicological effects

Inhaled	The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting.		
Ingestion	The material has NOT been classified by EC Directives or other classification systems as "harmful by ingestion". This is because of the lack of corroborating animal or human evidence.		
Skin Contact	The material is not thought to produce adverse health effects or skin irritation following contact (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable gloves be used in an occupational setting.  Open cuts, abraded or irritated skin should not be exposed to this material  Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected.		
Eye	This material can cause eye irritation and damage in some po	ersons.	
Chronic	There has been concern that this material can cause cancer Prolonged or repeated skin contact may cause degreasing, for	or mutations, but there is not enough data to make an assessment.  Ollowed by drying, cracking and skin inflammation.	
20218 MOTORBIKE AIR	TOXICITY	IRRITATION	
FILTER CLEANER 1L	Not Available	Not Available	
	TOXICITY	IRRITATION	
nitrilotriacetic acid, trisodium salt	Oral (rat) LD50: =1.05-1.42 mg/kg <sup>[2]</sup>	Eye (rabbit): Irritant *	
Sait		Skin (rabbit): non-irritating *	
	TOXICITY	IRRITATION	
sodium cumenesulfonate	dermal (rat) LD50: >2000 mg/kg <sup>[2]</sup>	Eye: adverse effect observed (irritating) <sup>[1]</sup>	
	Oral (rat) LD50: 5200 mg/kg <sup>[2]</sup>	Skin: no adverse effect observed (not irritating) <sup>[1]</sup>	
	TOXICITY	IRRITATION	
sodium linear-(C12-14)alkyl ether sulfate	dermal (rat) LD50: >=2000 mg/kg <sup>[1]</sup>	Eye: adverse effect observed (irritating) <sup>[1]</sup>	
Circi Sundic	Oral (rat) LD50: >2000 mg/kg <sup>[1]</sup>	Skin: adverse effect observed (irritating) <sup>[1]</sup>	
	тохісіту	IRRITATION	
	Oral (rat) LD50: 1080 mg/kg <sup>[2]</sup>	Eye (rabbit): irritant *	
tridecanol, branched, ethoxylated		Eye: no adverse effect observed (not irritating) <sup>[1]</sup>	
omoxylatou		Skin (rabbit): non-irritating *	
		Skin: no adverse effect observed (not irritating) <sup>[1]</sup>	
Legend:	Value obtained from Europe ECHA Registered Substances     specified data extracted from RTECS - Register of Toxic Effe	s - Acute toxicity 2.* Value obtained from manufacturer's SDS. Unless otherwise ct of chemical Substances	

Version No: **3.1.1.1** 

#### 20218 MOTORBIKE AIR FILTER CLEANER 1L

Issue Date: **01/11/2019**Print Date: **01/04/2020** 

NITRILOTRIACETIC ACID, TRISODIUM SALT Nitrilotriacetic acid and its water-soluble metal complexes occur in household detergents and drinking water. Their ability to chelate metal ions accounts for the toxicity. They may cause cancer of the kidney, bladder and urinary tract in some experimental animals but no foetal or genetic damage has been recorded. They do not cause skin sensitisation or irritation but may accumulate in the foetal skeleton.

In humans, they are poorly absorbed from the intestines and rapidly excreted in the urine.

WARNING: This substance has been classified by the IARC as Group 2B: Possibly Carcinogenic to Humans.

Asthma-like symptoms may continue for months or even years after exposure to the material ends. This may be due to a non-allergic condition known as reactive airways dysfunction syndrome (RADS) which can occur after exposure to high levels of highly irritating compound. Main criteria for diagnosing RADS include the absence of previous airways disease in a non-atopic individual, with sudden onset of persistent asthma-like symptoms within minutes to hours of a documented exposure to the irritant. Other criteria for diagnosis of RADS include a reversible airflow pattern on lung function tests, moderate to severe bronchial hyperreactivity on methacholine challenge testing, and the lack of minimal lymphocytic inflammation, without eosinophilia.

\* Nease Corporation MSDS

For alkyl sulfates; alkane sulfonates and alpha-olefin sulfonates

Most chemicals of this category are not defined substances, but mixtures of homologues with different alkyl side chains. Common physical and/or biological pathways result in structurally similar breakdown products, and are, together with the surfactant properties, responsible for similar environmental behavior and essentially identical hazard profiles with regard to human health.

SODIUM
CUMENESULFONATE

Acute toxicity: These substances are well absorbed after ingestion; penetration through the skin is however, poor. After absorption, these chemicals are distributed mainly to the liver.

In animals, signs of poisoning by mouth include lethargy, hair standing up, decreased motor activity and breathing rate, and diarrhea. Poisoning from skin contact caused irritation, tremor, tonic-clonic convulsions, breathing failure, and weight loss.

Toxicological data is available and well documented for representative toluene, xylene and cumene sulfonates (including sodium, potassium, ammounium and calcium salts). These data show that hydrotropes have low toxicity for all routes, do not cause genetic damage, show no evidence of causing cancer in long-term skin studies, and have not caused birth defects, developmental defects or reduced fertility.

SODIUM LINEAR-(C12-14)ALKYL ETHER SULFATE

Alcohol ethoxysulfates (AES) are of low acute toxicity. Neat AES are irritant to the skin and eyes.

TRIDECANOL, BRANCHED, ETHOXYLATED \* [BASF Canada]

Humans have regular contact with alcohol ethoxylates through a variety of industrial and consumer products such as soaps, detergents and other

cleaning products. Exposure to these chemicals can occur through swallowing, inhalation, or contact with the skin or eyes. Studies of acute toxicity show that relatively high volumes would have to occur to produce any toxic response. No death due to poisoning with alcohol ethoxylates has ever been reported.

Both laboratory and animal testing has shown that there is no evidence for alcohol ethoxylates (AEs) causing genetic damage, mutations or cancer. No adverse reproductive or developmental effects were observed.

SODIUM CUMENESULFONATE & SODIUM LINEAR-(C12-14)ALKYL ETHER SULFATE

No significant acute toxicological data identified in literature search.

Acute Toxicity	×	Carcinogenicity	✓
Skin Irritation/Corrosion	×	Reproductivity	×
Serious Eye Damage/Irritation	✓	STOT - Single Exposure	×
Respiratory or Skin sensitisation	×	STOT - Repeated Exposure	×
Mutagenicity	×	Aspiration Hazard	×

Legend:

X - Data either not available or does not fill the criteria for classification

🏏 – Data available to make classification

## **SECTION 12 ECOLOGICAL INFORMATION**

#### Toxicity

Alony						
20218 MOTORBIKE AIR FILTER CLEANER 1L	ENDPOINT	TEST DURATION (HR)	SPECIES	1	VALUE	SOURCE
	Not Available	Not Available	Not Available		Not Available	Not Available
	ENDPOINT	TEST DURATION (HR)	SPECIES	VALU	IE	SOURCE
	LC50	96	Fish	<16.9	-20.2mg/L	1
nitrilotriacetic acid, trisodium salt	EC50	72	Algae or other aquatic plants	>91.5	mg/L	2
Juit	EC10	72	Algae or other aquatic plants	22.8n	ng/L	2
	NOEC	72	Algae or other aquatic plants	1.43n	ng/L	2
	ENDPOINT	TEST DURATION (HR)	SPECIES	VAL	JE	SOURCE
	LC50	96	Fish	>1-m	ıg/L	2
sodium cumenesulfonate	EC50	48	Crustacea	>1-m	ıg/L	2
	EC50	72	Algae or other aquatic plants	>1-m	ıg/L	2
	NOEC	720	Algae or other aquatic plants	1-95	4.058mg/L	2
	ENDPOINT	TEST DURATION (HR)	SPECIES	I	VALUE	SOURCE
sodium linear-(C12-14)alkyl	LC50	96	Fish		7.1mg/L	2
ether sulfate	EC50	48	Crustacea		7.2mg/L	2

Chemwatch: **71-4423**Version No: **3.1.1.1** 

Page 7 of 9

#### 20218 MOTORBIKE AIR FILTER CLEANER 1L

Issue Date: 01/11/2019 Print Date: 01/04/2020

	EC50	72	Algae or other aquatic plants	1.8mg/L	2
	NOEC	672	Fish	0.14mg/L	2
		!	!		
	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
tridecanol, branched,	LC50	96	Fish	2.5mg/L	2
ethoxylated	EC50	48	Crustacea	1.5mg/L	2
	EC50	72	Algae or other aquatic plants	2.3mg/L	2
Legend:	Extracted from 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances - Ecotoxicological Information - Aquatic Toxicity 3. EPIWIN Suite				
	' /	V3.12 (QSAR) - Aquatic Toxicity Data (Estimated) 4. US EPA, Ecotox database - Aquatic Toxicity Data 5. ECETOC Aquatic Hazard Assessment Data 6. NITE (Japan) - Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data			Assessment

DO NOT discharge into sewer or waterways

#### Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
	No Data available for all ingredients	No Data available for all ingredients

#### **Bioaccumulative potential**

Ingredient	Bioaccumulation
	No Data available for all ingredients

#### Mobility in soil

Ingredient	Mobility	
	No Data available for all ingredients	

#### **SECTION 13 DISPOSAL CONSIDERATIONS**

#### Waste treatment methods

- ▶ DO NOT allow wash water from cleaning or process equipment to enter drains.
- It may be necessary to collect all wash water for treatment before disposal.
- ▶ In all cases disposal to sewer may be subject to local laws and regulations and these should be considered first.
- Where in doubt contact the responsible authority.Recycle wherever possible.
- Product / Packaging disposal
- Consult manufacturer for recycling options or consult local or regional waste management authority for disposal if no suitable treatment or disposal facility can be identified.
- Dispose of by: burial in a land-fill specifically licensed to accept chemical and / or pharmaceutical wastes or incineration in a licensed apparatus (after admixture with suitable combustible material).
- ► Decontaminate empty containers.

#### **SECTION 14 TRANSPORT INFORMATION**

#### Labels Required

Marine Pollutant NO

Land transport (DOT): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

## **SECTION 15 REGULATORY INFORMATION**

Safety, health and environmental regulations / legislation specific for the substance or mixture

NITRILOTRIACETIC ACID, TRISODIUM SALT IS FOUND ON THE FOLLOWING REGULATORY LISTS

Not Applicable

SODIUM CUMENESULFONATE IS FOUND ON THE FOLLOWING REGULATORY LISTS

Not Applicable

SODIUM LINEAR-(C12-14)ALKYL ETHER SULFATE IS FOUND ON THE FOLLOWING REGULATORY LISTS

Not Applicable

TRIDECANOL, BRANCHED, ETHOXYLATED IS FOUND ON THE FOLLOWING REGULATORY LISTS

Not Applicable

## **Federal Regulations**

#### 20218 MOTORBIKE AIR FILTER CLEANER 1L

Issue Date: 01/11/2019 Print Date: 01/04/2020

## Superfund Amendments and Reauthorization Act of 1986 (SARA)

#### SECTION 311/312 HAZARD CATEGORIES

Flammable (Gases, Aerosols, Liquids, or Solids)	No	
Gas under pressure	No	
Explosive	No	
Self-heating	No	
Pyrophoric (Liquid or Solid)	No	
Pyrophoric Gas	No	
Corrosive to metal	No	
Oxidizer (Liquid, Solid or Gas)	No	
Organic Peroxide	No	
Self-reactive	No	
In contact with water emits flammable gas	No	
Combustible Dust	No	
Carcinogenicity	Yes	
Acute toxicity (any route of exposure)	No	
Reproductive toxicity	No	
Skin Corrosion or Irritation	No	
Respiratory or Skin Sensitization	No	
Serious eye damage or eye irritation	Yes	
Specific target organ toxicity (single or repeated exposure)	No	
Aspiration Hazard		
Germ cell mutagenicity		
Simple Asphyxiant		
Hazards Not Otherwise Classified		

## US. EPA CERCLA HAZARDOUS SUBSTANCES AND REPORTABLE QUANTITIES (40 CFR 302.4)

None Reported

## State Regulations

## US. CALIFORNIA PROPOSITION 65

WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm

#### US - CALIFORNIA PROPOSITION 65 - CARCINOGENS: LISTED SUBSTANCE

Nitrilotriacetic acid, trisodium salt monohydrate Listed

## **National Inventory Status**

National Inventory	Status		
Australia - AICS	Yes		
Canada - DSL	Yes		
Canada - NDSL	No (tridecanol, branched, ethoxylated; sodium linear-(C12-14)alkyl ether sulfate; sodium cumenesulfonate; nitrilotriacetic acid, trisodium salt)		
China - IECSC	Yes		
Europe - EINEC / ELINCS / NLP	Yes		
Japan - ENCS	No (tridecanol, branched, ethoxylated)		
Korea - KECI	Yes		
New Zealand - NZIoC	Yes		
Philippines - PICCS	Yes		
USA - TSCA	Yes		
Taiwan - TCSI	Yes		
Mexico - INSQ	No (tridecanol, branched, ethoxylated; sodium linear-(C12-14)alkyl ether sulfate)		
Vietnam - NCI	Yes		
Russia - ARIPS	Yes		
Legend:	Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory and are not exempt from listing(see specific ingredients in brackets)		

#### **SECTION 16 OTHER INFORMATION**

Revision Date	01/11/2019
Initial Date	22/11/2016

#### **SDS Version Summary**

Version	Issue Date	Sections Updated

Chemwatch: 71-4423 Page 9 of 9 Version No: 3.1.1.1

#### 20218 MOTORBIKE AIR FILTER CLEANER 1L

Issue Date: 01/11/2019 Print Date: 01/04/2020

01/11/2019 One-off system update. NOTE: This may or may not change the GHS classification 3.1.1.1

#### Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

#### **Definitions and abbreviations**

PC-TWA: Permissible Concentration-Time Weighted Average

PC-STEL: Permissible Concentration-Short Term Exposure Limit IARC: International Agency for Research on Cancer

ACGIH: American Conference of Governmental Industrial Hygienists

STEL: Short Term Exposure Limit

TEEL: Temporary Emergency Exposure Limit。

IDLH: Immediately Dangerous to Life or Health Concentrations

OSF: Odour Safety Factor

NOAEL :No Observed Adverse Effect Level LOAEL: Lowest Observed Adverse Effect Level

TLV: Threshold Limit Value LOD: Limit Of Detection OTV: Odour Threshold Value BCF: BioConcentration Factors BEI: Biological Exposure Index

This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH.

TEL (+61 3) 9572 4700.