Product information

Marine 4T Motor Oil SAE 10W-40



Description

Fully synthetic, heavy duty motor oil. Provides outstanding wear protection, proper oil pressure and engine cleanliness. Optimum protection of engine components thanks to high content of anti-corrosion additives. Developed specifically for marine use. Meets major manufacturers requirements.

LIQUE MARINE 10W-40

Properties

- very wear resistant
- high engine cleanliness
- rapid oil penetration
- outstanding corrosion protection
- reliable cold start
- compatible for the use with turbochargers and catalytic converters
- can be used in gasoline and diesel engines with and without turbocharger

Specifications and approvals:

ACEA A3 • ACEA B4 • ACEA E7 • API SL • API CI-4 • Mack E0-N • Renault Trucks RLD-2 • Volvo VDS-3

LIQUI MOLY also recommends this product for vehicles or assemblies for which the following specifications or original part numbers are required:

Caterpillar ECF-1-a • Caterpillar ECF-2 • Cummins CES 20071 • Cummins CES 20072 • Cummins CES 20076 • Cummins CES 20077 • Cummins CES 20078 • Deutz DQC III-10 • MAN M 3275-1 • MTU Typ 2

Technical data

SAE class (engine oils)	10W-40 SAE J300
Density at 59 °F	0,865 g/cm³ DIN 51757
Viscosity at 104 °F	94,0 mm²/s ASTM D 7042-04
Viscosity at 212°F	14,5 mm²/s ASTM D 7042-04
Viscosity at -22 °F (MRV)	< 60000 mPas ASTM D4684
Viscosity at -13 °F (CCS)	<= 7000 mPas ASTM D5293
Viscosity index	160 DIN ISO 2909
HTHS at 302 °F	>= 3,5 mPas ASTM D5481
Pour point	-33 °F

Technical data

Evaporation loss (Noack) 12,7 %

CEC-L-40-A-93

Flash point 446 °F

DIN ISO 2592

Total base number 10,5 mg KOH/g

PI 24/14/10/2020

DIN ISO 3771

Sulfate ash 1,0 - 1,6 g/100g

DIN 51575

Color number (ASTM) L4.0

DIN ISO 2049

Areas of application

For 4-stroke gasoline engines, where an oil according to current product specifications is required or recommended. Safe with catalytic converters and turbochargers.

Application

Observe the manufacturers instructions!

Available pack sizes

1 l Canister plastic 20506

USA AND CANADA (-EN-

F-)

4 l Canister plastic 20508

USA AND CANADA (-EN-

F-)

20 l Canister plastic 20496

USA AND CANADA (-EN-

F-l

60 l Drum sheet metal 20497

USA AND CANADA (-EN-

F-)

205 l Drum sheet metal 20498

USA AND CANADA (-EN-

F-)

Our information is based on thorough research and may be considered reliable, although not legally binding.

DIN ISO 3016