






REVISIONS						
ZONE	LTR	DESCRIPTION	CHANGE No	DATE	BY	APPR'D
	AA	INITIAL RELEASE	DR56155	12APR17	SLK	BLM



DETAIL X  
SCALE 2:1



LEVEL SENDER UNIT HEIGHT VS RESISTANCE		
FLOAT POSITION	HEIGHT (mm)	RESISTANCE (Ohms)
FULL STOP	146.0 REF	10 ± 2
EMPTY STOP	6.0 REF	180 ± 4

- NOTES:
- SPECIAL CUSTOMER PACKAGING REQUIREMENTS MAY CALL FOR THE ADDITION OF SPECIFIC LABELS NOT SHOWN ON THIS DRAWING.
  - MODULE TO BE PACKAGED USING COMPONENTS NOTED ON BOM SO THAT CONTAMINATION FROM FOREIGN MATERIAL IS PREVENTED:
    - PLUG PROTECTORS ON PORTS
    - POLY BAG
  - SHOWN WIRE ROUTING MAY DIFFER FROM FINISHED PRODUCT.

KEY PRODUCT CHARACTERISTICS		
REFER TO TI AUTOMOTIVE GLOBAL ADVANCE QUALITY PLANNING DOCUMENT A-758-001-0011 FOR THE CLASSIFICATION AND CONTROL OF KEY PRODUCT CHARACTERISTICS	100%	100%
SAFETY CHARACTERISTIC	100%	100%
CRITICAL CHARACTERISTIC	100%	100%
HIGH IMPACT CHARACTERISTIC	100%	100%

METRIC ALL DIMENSIONS ARE IN MILLIMETERS		
DO NOT SCALE		
DECIMAL TOLERANCES UNLESS OTHERWISE SPECIFIED: ONE PLACE ±0.25 TWO PLACE ±0.13 ANGLES ±1°		
THIRD ANGLE PROJECTION		
DIMENSIONS IN ACCORDANCE WITH ASME Y14.5 - 2009		
630 COLUMBIA ST. CARO, MI 48723 +1 989.675.1723		
ENGINEER: B.MIDDLETON	12APR17	MATERIAL/SPECIFICATION:
DESIGNER: S.RADY	12APR17	
CAD SYSTEM: PROVE	SCALE: 1:1	SHEET NO. 1 OF 1
REFERENCE TO: AR0041497/AA		
REFERENCE TO: AR0041495/AA		
000115502/AB		
FUEL MODULE OUTLINE		
SIZE: A0	DRAWING NUMBER: TU2036	