



LIGHTING | EVOLVED

PRODUCT 20
CATALOG 19



TABLE OF CONTENTS

WHY VISION X
p.4-9

LED POD LIGHTS
p.10-23

LED LIGHT BARS
p.24-41

ACCENT LIGHTING
p.42-45

LED WORK/SCENE LIGHTS
p.46-53

LED HEADLIGHTS
p.54-59

APPLICATION SPECIFIC
p.60-71

HID & HALOGEN
p.72-75

ACCESSORIES
p.76-83

6 The Tech
8 Choosing Beam Pattern
9 Warranty

12 ADV Light Cannon
14 CG2 Light Cannon
18 VL-Series Driving Light
20 Optimus
22 Solo Pods

26 Shocker
28 XPL
30 XPL Curved
32 XPR-S
34 XPR
36 Xmitter Prime Xtreme
38 Xmitter Lo-Pro Prime Xtreme
40 Chaser Bar

43 XP Rock Lights
44 Pro Pods
44 Tantrum
45 Strip Lights & Utility Flood

48 VL-Series Light Duty
50 Duralux
52 UMX

56 VX Series Headlights
58 XMC Motorcycle Headlights


62 VX Grilles
64 Trucks
66 Jeeps
68 UTV
70 Sport Marine

72 HID Offroad Lights
74 Halogen Sealed Beam & Bulbs

78 Mounting Solutions
80 Covers
83 Lighting Accessories

NEW | PRODUCTS

SHOCKER
DUAL ACTION LED LIGHT BAR



p.26




ADV
ADVENTURE SERIES LED DRIVING LIGHT



p.12

CG2



p.14

VL-SERIES
OFFROAD DRIVING LIGHTS



p.18

XPL
LO-PRO LIGHT BAR SERIES



p.28

XPL
CURVED

p.30

p.43

XP ROCK
LIGHTS



p.40

CHASER
REAR LED SYSTEM





VISION X LIGHTING

DESIGN, MANUFACTURE AND DELIVER
THE ULTIMATE LIGHTING SOLUTION

Vision Motor Sports was established in 1997 with the mission to revolutionize the lighting industry. Today, we are doing just that. The Engineering, Product Development and Marketing is conducted from the Vision X USA office located in Auburn, Washington while Vision X Asia is home to the Manufacturing, Testing, and Inventory Logistics departments of Vision X Global Lighting. Today, Vision X has the mission of creating partners around the world to continue developing and marketing the most advanced lighting products in the world.

The key to Vision X's ongoing success, unmatched quality, and performance is our team of world class engineers who have taken outlandish concepts from conception to production. Our engineers are never afraid of reexamining products to find ways to better serve customers. Since its conception, Vision X has listened to the end user and put their ideas into action to further the quality, performance, and functionality of all Vision X products. At Vision X, we are constantly striving to live up to our company motto of "Lighting Evolved."

HIGH LEVEL CERTIFICATIONS



E-MARK

European Regulatory certification for on highway use.



DOT

US Department of Transportation certified for on road use.



ADR

Products which are in compliance with the Australian Design Rules (ADR).



ROHS

Ensures no use of restricted hazardous materials in products such as lead, mercury, cadmium, PBB, PBDE, and Phthalate.



CE

CE is a mandatory conformity mark for products in the European Economic Area.



SAE

SAE standard compliant for transport and automotive regulations.



PROP 65

California Regulation compliant for hazardous materials.



EMC

EMC and EMI certifies that a product does not interfere with other electrical products. This includes CISPR 25 Certifications

QUALITY AS A PRIORITY



INGRESS PROTECTION

Products are sprayed from close distances with 80~100 BAR water pressure to verify the ingress protection rating, ensuring they are sealed properly.



SUBMERSION & AGING

Once products are assembled every product is run through a submersion (water dunk) test, then placed onto an aging rack and powered up for 30 minutes.



THERMAL IMPACT

Products are placed in a -40°C chamber for 30 minutes, and then placed in a 80°C chamber for an additional 30 minutes. Products are then left on for 72 hours.



LONG TERM DURABILITY

Products are then switched on and off 20,000 times repeatedly to ensure that they remain functional after all testing.




CONSUMPTION & INPUT RANGE

All products are put on a digital power meter to test if it is consuming the correct amount of power, checking for any electrical faults.




MEASURING LIGHT OUTPUT




USABLE LIGHT = DISTANCE

Usable light is defined as the light that is actually converted for use in forward projecting lighting. Vision X measures this by accounting for effective, rather than raw lumens in our distance calculations. The measurement of distance at which a light achieves one lux is the level of light needed to read a newspaper, also known as Usable Light.

TOTAL LIGHT OUTPUT = LUMENS



Light source placed into lumen sphere to measure the complete output of a source



RAW LUMENS | VS | EFFECTIVE LUMENS

Lumens are a common standard for measuring light output at the source. It is important to know that the lighting source manufacturer rating is only for the light source and does not account for losses due to optical inefficiencies, electrical inefficiencies, or heat.

The sheer output of the light source is not enough to capture the whole story. When rating the effective output of a light source, the light lost as heat, in optical light spray, and electrical inefficiency must also be accounted for as each of these reduce the total usable lumens. Through the use of top binned LEDs, pulse width modulation, and electronic thermal management, Vision X Lights effectively produce the highest lumens per watt.




CHOOSING **THE RIGHT BEAM**




EXTREME SPOT BEAM

Longest distance beam with the smallest spread that is ideal at high speeds. Vision X lights with a spot beam will be equipped with our Iris Reflector Technology.




BROAD SPOT BEAM

Great distance beam with a moderate amount of spread. Broad spot beam pattern Vision X lights use multiple 10° optics or Iris Reflectors that are specifically arranged to still provide a large amount of distance with the added benefit of spread.




COMBO / MIXED BEAM

Added peripheral illumination with the benefit of distance and spread. Similar to the broad spot beam, Vision X lights that produce a combo/mixed beam are equipped with multiple optics with varying degrees that angle light outward towards the side of your vehicle but still maintain distance and spread.



DRIVING / ELLIPTICAL BEAM

Flat forward spread that keeps low to the ground. This unique pattern is perfect for on-road use and is projected using a special optic type that is specifically engineered to keep the light low the ground as to not blind oncoming vehicles.



FLOOD / WIDE FLOOD BEAM

Largest spread with the shortest distance. Vision X Lights with a flood beam will use multiple wide angle optics (40°, 60°, 90°) to produce a wide spread beam that is ideal for work area and scene lighting.



INCLUDED **WITH EACH LIGHT**



LIMITED LIFETIME WARRANTY

1. Proof of purchase is required to validate warranty and is valid from the original date of purchase. All products must be bought through a Vision X Authorized Dealer or one of their dealers/resellers.
2. Improper installation, accident, physical damage, neglect, and normal wear are not covered under warranty.
3. Cutting the deutsch connector automatically voids the warranty.
4. Lights operated in environments over 150° Fahrenheit are not covered under warranty.
5. Warrantied items will be repaired to working condition and returned without cosmetic alterations.
6. Warranties should be handled through the dealer/reseller the product was purchased from; customer is responsible for delivery to Vision X Returns in Washington.
7. If product is not under warranty, customers will be responsible for return shipping charges.
8. Additionally, non-warranted items can be repaired at the customer's expense of parts and labor, at the discretion of Vision X Lighting, who will provide an estimated repair cost before proceeding with the repair.

LED POD LIGHTS

- 12** ADV Light Cannon
- 14** CG2 Light Cannon
- 18** VL-Series Driving Light
- 20** Optimus
- 22** Solo Pods





NEW | PRODUCT

ADV

ADVENTURE SERIES LED DRIVING LIGHT

ADV LIGHT CANNON - S E R I E S -

8.7" | 120W




6.7" | 80W

ADVENTURES JUST GOT BRIGHTER

Combining the superior distance of Iris Reflector technology with the spread of elliptical optics the ADV Light Cannon series shines a powerful combo driving beam that is optimal for all terrains. Coupled with a smooth back-lit halo and a robust 4-bolt steel trunnion bracket, the ADV Light Cannon Series was engineered to outshine and outlast the competition.

COMBO/
MIXED
BEAM



Beam/Color Changing
Polycarbonate Covers (See p.80)



THE PERFECT COMBO DRIVING BEAM

IRIS REFLECTOR AND OPTIC COMBO

Combining the superior distance of Iris Reflectors with two elliptical optics, the ADV Light Cannon shines a powerful and smooth light pattern for all terrains. From curving roads to high-speed trails, the Driving/Combo beam pattern is the perfect blend of light.

DAYTIME RUNNING HALO

The **SAE** compliant Halo provides the smoothest back lit glow day or night. Choose to run as a Daytime Running Light or place on a separate switch for style lighting on demand.



SAE J3098 compliant
for street legal use

| | ITEM# | PART# | RAW LUMENS | DISTANCE | WATTS | AMP DRAW @12V | DIMENSIONS | BEAM |
|------|---|---------|------------|----------|-------|---------------|-------------------|-------|
| 6.7" |  CGA-CPMH8M | 1236116 | 8,560lm | 1,870ft. | 80W | 5.83A | 6.78"x7.25"x3.46" | Combo |
| | CGA-CPMH8MKIT | 1236216 | 17,120lm | 2,494ft. | 160W | 11.67A | 6.78"x7.25"x3.46" | Combo |
| 8.7" |  CGA-CPMH14M | 1238116 | 12,840lm | 2,297ft. | 120W | 10A | 8.78"x9.45"x4.07" | Combo |
| | CGA-CPMH14MKIT | 1238216 | 25,680lm | 3,248ft. | 240W | 20A | 8.78"x9.45"x4.07" | Combo |

CG2

CG2 LIGHT CANNON - S E R I E S -



**THE
2ND
GENERATION
IS HERE**

The most powerful and versatile off-road LED lighting system. From 3.0" Square to 8.7" Round sizes, each is available in a Long Distance or Multi-LED Full Beam version to shine the light exactly where you need it. The Day-White lighting color allows you to comfortably see the terrain over unmatched distances. The 25-Lights-In-One Cover system (round only) allows you to change light pattern and color to fit your driving environments. Lifetime Limited Warranty.





Beam/Color Changing
Polycarbonate Covers (See p.80)



MULTI LED FOR MAXIMUM LIGHT OUTPUT

Multi-LED CG2 Light Cannons are the ultimate light for blasting through the night with a powerful broad driving beam pattern and outstanding medium distance lighting coverage.


**BROAD
SPOT
BEAM**



SINGLE LED FOR FOCUSED DISTANCE OUTPUT

Single LED CG2 Light Cannons take lighting to uncharted territory with incomparable distances. The industry-leading Luminous Big Chip LED and Iris Reflector throws a violent blast of light that penetrates the night up to 3,500 feet. If you need superior distance from your lighting, this is the solution.

**EXTREME
SPOT
BEAM**






PERFORMANCE LED LIGHT



ULTRA EFFICIENT MULTI LED
Top binned 7W Cree LED provide the greatest light output from a multi source LED light of its size.

ADVANCED OPTIC TECHNOLOGY
Each led is focused using a 10° optic that allows for the flood pattern to achieve full beam spread.

LUMEN OUTPUT COMPARISON



Different Output, Same Series


LUMENS | VS | DISTANCE



HIGHEST QUALITY SINGLE LED
Industry leading Luminus Big Chip Technology allows the Single Source Cannon to reach unheard of distances.

IRIS REFLECTOR TECHNOLOGY
Focusing the power of the single source LED, the advanced IRIS Reflector shoots out a long distance spot beam.

DISTANCE OUTPUT COMPARISON





| | ITEM# | PART# | RAW LUMENS | DISTANCE | WATTS | AMP DRAW @12V | DIMENSIONS | BEAM |
|--|----------------|---------|------------|----------|-------|---------------|-------------------|------------|
| 3.0"  | CG2-OPM310 | 9929644 | 2,250 | 515ft. | 21W | 1.75A | 2.99"x3.14"x3.82" | Broad Spot |
| | CG2-OPM310KIT | 9929651 | 4,500 | 680ft. | 42W | 3.5A | 2.99"x3.14"x3.82" | Broad Spot |
| 3.7"  | CG2-CPM310 | 9912141 | 2,250 | 515ft. | 21W | 1.75A | 3.62"x3.62"x3.82" | Broad Spot |
| | CG2-CPM310KIT | 9912158 | 4,500 | 680ft. | 42W | 3.5A | 3.62"x3.62"x3.82" | Broad Spot |
| 4.7"  | CG2-CPM710 | 9907499 | 5,250 | 705ft. | 49W | 4.08A | 5.42"x5.28"x3.69" | Broad Spot |
| | CG2-CPM710KIT | 9907437 | 10,500 | 915ft. | 98W | 8.17A | 5.42"x5.28"x3.69" | Broad Spot |
| 6.7"  | CG2-CPM1810 | 9907505 | 13,500 | 1,105ft. | 126W | 10.5A | 7.30"x7.09"x5.37" | Broad Spot |
| | CG2-CPM1810KIT | 9907444 | 27,000 | 1,435ft. | 252W | 21A | 7.30"x7.09"x5.37" | Broad Spot |
| 8.7"  | CG2-CPM2410 | 9907512 | 18,000 | 1,405ft. | 168W | 14A | 9.36"x9.34x6.30" | Broad Spot |
| | CG2-CPM2410KIT | 9907451 | 36,000 | 1,825ft. | 336W | 28A | 9.36"x9.34x6.30" | Broad Spot |
| <hr/> | | | | | | | | |
| | ITEM# | PART# | RAW LUMENS | DISTANCE | WATTS | AMP DRAW @12V | DIMENSIONS | BEAM |
| 3.0"  | CG2-OP110 | 9929620 | 1,070 | 1,000ft. | 10W | 0.83A | 2.99"x3.14"x3.82" | Spot |
| | CG2-OP110KIT | 9929637 | 2,140 | 1,100ft. | 20W | 1.67A | 2.99"x3.14"x3.82" | Spot |
| 3.7"  | CG2-CPR110 | 9925240 | 1,070 | 1,000ft. | 10W | 0.83A | 3.62"x3.62"x3.82" | Spot |
| | CG2-CPR110KIT | 9925271 | 2,140 | 1,100ft. | 20W | 1.67A | 3.62"x3.62"x3.82" | Spot |
| 4.7"  | CG2-CPZ110 | 9907574 | 3,000 | 1,115ft. | 40W | 3.33A | 5.42"x5.28"x3.69" | Spot |
| | CG2-CPZ110KIT | 9907468 | 6,000 | 1,250ft. | 80W | 6.67A | 5.42"x5.28"x3.69" | Spot |
| 6.7"  | CG2-CPZ610 | 9907567 | 4,000 | 3,000ft. | 70W | 5.83A | 7.30"x7.09"x5.37" | Spot |
| | CG2-CPZ610KIT | 9907475 | 8,000 | 3,300ft. | 140W | 11.67A | 7.30"x7.09"x5.37" | Spot |
| 8.7"  | CG2-CPZ810 | 9907550 | 6,200 | 3,500ft. | 100W | 8.33A | 9.36"x9.34x6.30" | Spot |
| | CG2-CPZ810KIT | 9907482 | 12,400 | 3,850ft. | 200W | 16.67A | 9.36"x9.34x6.30" | Spot |

NEW | PRODUCT

VL-SERIES

OFFROAD DRIVING LIGHTS

VL DRIVING LIGHT

- S E R I E S -

8.7" | 105W




6.7" | 63W


SPOT & FLOOD MADE SIMPLE

Designed similarly to our popular round pod style lights, the VL Driving Light offers multi LED Reflectors to provide a spread of light at a distance. With the VL Driving series we are able to streamline the manufacturing process in our new facility to the point we can offer a free set of Flood Covers and bring the price down to a point even entry level offroaders will be happy with, while still maintaining the Vision X quality.

BROAD
SPOT
BEAM



FLOOD
BEAM



Beam/Color Changing
Polycarbonate Covers (See p.80)



TAKE CONTROL OF YOUR LIGHT



BROAD SPOT BEAM

Harnessing the power of reflector technology arranged in a honeycomb pattern, the VL-Series Driving Light emits a powerful long distance spot beam capable of reaching distances up to 2,265ft (8.7in kit).

INCLUDES SNAP-ON WIDE FLOOD COVER

Included with every VL-Series Driving Light Kit is a Snap-On Clear Cover that is designed to change the spot beam into a wide flood light pattern as well as add protection from debris.

*Covers Only Included with Kits

| | ITEM# | PART# | RAW LUMENS | DISTANCE | WATTS | AMP DRAW @12V | DIMENSIONS | BEAM |
|--|----------------|---------|------------|----------|-------|---------------|-------------------|------------|
| 6.7"  | VWR041810 | 9929682 | 4,365 | 1,310ft. | 63W | 5.25A | 7.28"x7.44"x2.99" | Broad Spot |
| | VWR041810WFKIT | 9929699 | 8,730 | 1,740ft. | 126W | 10.5A | 7.28"x7.44"x2.99" | Broad Spot |
| 8.7"  | VWR043010 | 9929668 | 7,275 | 1,640ft. | 105W | 8.75A | 9.25"x9.49"x3.46" | Broad Spot |
| | VWR043010WFKIT | 9929675 | 14,550 | 2,265ft | 210W | 17.5A | 9.25"x9.49"x3.46" | Broad Spot |

OPTIMUS

UNIVERSAL LED DRIVING LIGHT



COMPACT HOUSING MEETS DISTANCE OUTPUT

By combining Single-Source LEDs with Vision X's Iris Reflector technology, the Optimus Series is capable of reaching a staggering 883' of usable light at just 10W.

The Optimus is available in four different beam patterns, allowing users to choose between distance or spread.

Vehicle Specific Kits Available for :
Fog Light Kits for Trucks and Jeeps (See p.64-67)
Headlight Kits for RZR (See p.68)



Beam/Color Changing
Polycarbonate Covers (See p.80)



HALO OPTION
White and All NEW Amber Halo options available.
*Round and Square Only

DIFFERENT HOUSING | MORE VERSATILITY

ROUND 3.7"

10W | 0.83A | 1,052 Lumens



SQUARE 3.0"

10W | 0.83A | 1,052 Lumens




DUAL 5.8"

20W | 1.67A | 2,104 Lumens






ROUND & SQUARE HALO MODEL



* KITS INCLUDE 2 LIGHTS + HARNESS

| | ITEM# | PART# | RAW LUMENS | DISTANCE | WATTS | HALO | BEAM |
|--------|-----------------|---------|------------|----------|-------|-------|----------|
| ROUND | XIL-OPRH115 | 9891712 | 1,052 | 883ft. | 10W | WHITE | Spot 15° |
| | XIL-OPRH115KIT | 9891729 | 2,104 | 970ft. | 20W | WHITE | Spot 15° |
| | XIL-OPRHA115 | 9907185 | 1,052 | 883ft. | 10W | AMBER | Spot 15° |
| | XIL-OPRHA115KIT | 9917610 | 2,104 | 970ft. | 20W | AMBER | Spot 15° |
| SQUARE | XIL-OPH115 | 9891699 | 1,052 | 883ft. | 10W | WHITE | Spot 15° |
| | XIL-OPH115KIT | 9891705 | 2,104 | 970ft. | 20W | WHITE | Spot 15° |
| | XIL-OPHA115 | 9907178 | 1,052 | 883ft. | 10W | AMBER | Spot 15° |
| | XIL-OPHA115KIT | 9917627 | 2,104 | 970ft. | 20W | AMBER | Spot 15° |


ROUND MODEL



* KITS INCLUDE 2 LIGHTS + HARNESS

| ITEM# | PART# | RAW LUMENS | DISTANCE | WATTS | AMP DRAW @12V | BEAM |
|---------------|---------|------------|----------|-------|---------------|----------|
| XIL-OPR110 | 9140896 | 1,052 | 883ft. | 10W | 0.83A | Spot 10° |
| XIL-OPR110KIT | 9141251 | 2,104 | 970ft. | 20W | 1.67A | Spot 10° |
| XIL-OPR120 | 9141077 | 1,052 | 525ft. | 10W | 0.83A | Spot 20° |
| XIL-OPR120KIT | 9141343 | 2,104 | 580ft. | 20W | 1.67A | Spot 20° |
| XIL-OPR160 | 9141169 | 1,052 | 157ft. | 10W | 0.83A | Flood |
| XIL-OPR160KIT | 9141435 | 2,104 | 175ft. | 20W | 1.67A | Flood |


SQUARE MODEL



* KITS INCLUDE 2 LIGHTS + HARNESS

| ITEM# | PART# | RAW LUMENS | DISTANCE | WATTS | AMP DRAW @12V | BEAM |
|--------------|---------|------------|----------|-------|---------------|----------|
| XIL-OP110 | 9123882 | 1,052 | 883ft. | 10W | 0.83A | Spot 10° |
| XIL-OP110KIT | 9124421 | 2,104 | 970ft. | 20W | 1.67A | Spot 10° |
| XIL-OP120 | 9130002 | 1,052 | 525ft. | 10W | 0.83A | Spot 20° |
| XIL-OP120KIT | 9138015 | 2,104 | 580ft. | 20W | 1.67A | Spot 20° |
| XIL-OP160 | 9124063 | 1,052 | 157ft. | 10W | 0.83A | Flood |
| XIL-OP160KIT | 9137926 | 2,104 | 175ft. | 20W | 1.67A | Flood |

DUAL MODEL



* KITS INCLUDE 2 LIGHTS + HARNESS

| ITEM# | PART# | RAW LUMENS | DISTANCE | WATTS | AMP DRAW @12V | BEAM |
|--------------|---------|------------|----------|-------|---------------|----------|
| XIL-OP210 | 9123882 | 2,104 | 975ft. | 20W | 1.67A | Spot 10° |
| XIL-OP210KIT | 9125053 | 4,208 | 1,075ft. | 40W | 3.33A | Spot 10° |
| XIL-OP220 | 9124605 | 2,104 | 550ft. | 20W | 1.67A | Spot 20° |
| XIL-OP220KIT | 9137834 | 4,208 | 605ft. | 40W | 3.33A | Spot 20° |
| XIL-OP260 | 9136660 | 2,104 | 165ft. | 20W | 1.67A | Flood |
| XIL-OP260KIT | 9137742 | 4,208 | 185ft. | 40W | 3.33A | Flood |

SOLO POD LED LIGHT SERIES



ULTRA COMPACT FOR UNIVERSAL APPLICATIONS

Compact yet powerful, the Solo Pod Series from Vision X provides intense light output from a small housing.

The Solstice Solo excels at multiple applications thanks to the wide selection of different beam patterns. Perfect for dirt bikes, reverse lights, marine lights, or rock lights - the applications are endless.

FLUSH MOUNTING OPTIONS
See p.79



DIFFERENT HOUSING | MORE APPLICATIONS

2.2" PRIME

10W | 0.83A | 1,052 Lumens



2.0" SOLSTICE

10W | 0.83A | 1,052 Lumens



1.7" MINI

5W | 0.42A | 528 Lumens




LED COLOR | OPTIONS

- AMBER
- RED
- BLUE
- GREEN

*Refer to website for Part#'s




PRIME MODEL




| ITEM# | PART# | RAW LUMENS | DISTANCE | WATTS | AMP DRAW @12v | BEAM |
|-----------|---------|------------|----------|-------|---------------|-----------|
| XIL-SP110 | 4008830 | 1,052 | 279' | 10W | 0.83A | Spot 10° |
| XIL-SP120 | 4009882 | 1,052 | 213' | 10W | 0.83A | Spot 20° |
| XIL-SP140 | 4009899 | 1,052 | 164' | 10W | 0.83A | Med Flood |

SOLSTICE MODEL



| ITEM# | PART# | RAW LUMENS | DISTANCE | WATTS | AMP DRAW @12v | BEAM |
|--------------|---------|------------|----------|-------|---------------|------------|
| XIL-S1110 | 9888156 | 1,052 | 246' | 10W | 0.83A | Spot |
| XIL-S1130 | 9888163 | 1,052 | 190' | 10W | 0.83A | Med. Flood |
| XIL-S11E3065 | 9888187 | 1,052 | 186' | 10W | 0.83A | Elliptical |
| XIL-S1160 | 9888170 | 1,052 | 180' | 10W | 0.83A | Flood |

MINI MODEL



| ITEM# | PART# | RAW LUMENS | DISTANCE | WATTS | AMP DRAW @12v | BEAM |
|-----------|---------|------------|----------|-------|---------------|------------|
| XIL-MX110 | 9113531 | 528 | 272' | 5W | 0.42A | Spot |
| XIL-MX140 | 9113715 | 528 | 165' | 5W | 0.42A | Med. Flood |
| XIL-MX160 | 9113807 | 528 | 82' | 5W | 0.42A | Flood |

LED LIGHT BARS

- 26** Shocker
- 28** XPL
- 31** XPL Curved
- 32** XPR-S
- 34** XPR
- 36** Xmitter Prime Xtreme
- 38** Xmitter Lo Pro Prime Xtreme
- 40** Chaser Bar



NEW | PRODUCT


SHOCKER

DUAL ACTION LED LIGHT BAR



DUAL ACTION PERFORMANCE

The Shocker Dual Action LED Light bar brings versatility and lighting power to the forefront by allowing you to adjust your vision to the ever-changing driving conditions with the flick of a switch. Experience the all new VRT (Vector Reflector Technology) at high speeds to shine long distance with a wide driving beam that also fans across the trail. When dust and fog tries to slow you down, engage the Amber PLC (Photon Light Core Technology) to penetrate the night by reducing shadows and white-out by using the proper Amber lighting color and wide-elliptical shaped beam.



DUAL FUNCTION LIGHTING TECHNOLOGY

New Vector Reflector and Photon Light Core technology for dual function lighting.

RACE-INSPIRED SIDE MOUNTS

The Shocker come with heavy duty Race-Ready side mounts that are built to outlive any abuse.

HIGH OUTPUT CREE LEDS

Utilizing top binned XP-L-HI and XP-E2 Cree chips, the Shocker was made to outshine the competition.



BOTTOM HALF | AMBER OR WHITE LED



TOP HALF | WHITE LED

PHOTON LIGHT CORE FOR WIDE ELLIPTICAL BEAM


The new Photon Light Core technology is the first of its kind. Our engineers designed the bottom half of the Shocker to produce a unique wide spread elliptical beam that keeps the light low to the ground.



ELLIPTICAL BEAM

VECTOR REFLECTOR FOR BROAD SPOT BEAM

With the flip of a switch, the Shocker bar transforms your light into a driving spot beam that utilizes our newly designed Vector Reflector Technology to boost the beam pattern out to 1,314ft.



BROAD SPOT BEAM

| ITEM# | PART# | LENGTH | MODEL | | LED COLOR | RAW LUMENS | DISTANCE | WATTS | AMP DRAW @12V | BEAM |
|------------|---------|--------|----------|------------------|-----------|------------|----------|-------|---------------|------------|
| SHK-BV6WPA | 9929705 | 11.97" | STANDARD | Vector Reflector | WHITE | 6,420 | 1,314ft. | 60W | 5A | Broad Spot |
| | | | | Photon Core | AMBER | 3,550 | 360ft. | 70W | 5.8A | Elliptical |
| SHK-BV6WPW | 9934204 | 11.97" | STANDARD | Vector Reflector | WHITE | 6,420 | 1,314ft. | 60W | 5A | Broad Spot |
| | | | | Photon Core | WHITE | 6,945 | 475ft. | 95W | 7.9 | Elliptical |
| SHK-BV6WRA | 9934280 | 11.97" | RACE | Vector Reflector | WHITE | 6,420 | 1,314ft. | 60W | 5A | Broad Spot |
| | | | | Photon Core | AMBER | 3,025 | 450ft. | 100W | 8.3A | Elliptical |

COMING SOON: 20" | 30" | 40" MODELS

| ITEM# | PART# | LENGTH | MODEL | ITEM# | PART# | LENGTH | MODEL | ITEM# | PART# | LENGTH | MODEL |
|-------------|---------|--------|-------|-------------|---------|--------|-------|-------------|---------|--------|-------|
| SHK-BV12WPA | 9932873 | 20" | STD. | SHK-BV18WPA | 9932972 | 30" | STD. | SHK-BV24WPA | 9932989 | 40" | STD. |
| SHK-BV12WPW | 9934259 | 20" | STD. | SHK-BV18WPW | 9934266 | 30" | STD. | SHK-BV24WPW | 9934273 | 40" | STD. |
| SHK-BV12WRA | 9934297 | 20" | RACE | SHK-BV18WRA | 9934303 | 30" | RACE | SHK-BV24WRA | 9934310 | 40" | RACE |

NEW | PRODUCT

XPL

LO-PRO LIGHT BAR SERIES




SLIM STYLE & PERFORMANCE

The XPL Halo Series LED Light Bar builds upon the XPR Series by combining the distance power of Iris Reflector Technology with an ultra slim housing design. Utilizing a powerful 5W Cree LED, the XPL series is able to produce up to 19,260 lumens and over 2,000 ft. of usable light.

SIZES : 6" | 10" | 13" | 20" | 32" | 40" | 51"

EXTREME
SPOT
BEAM



HIGH OUTPUT CREE LED

The 5W XT-E HE LED from Cree coupled with our Iris Reflectors is what allows the XPL to project light up to 2,067 ft.

DUAL MOUNTING STANDARD

Each XPL Light Bar includes side wing mounts and our newly designed mounting feet.

SMOOTH BACKLIT

The XPL comes equipped with a back-lit halo that can be used as a daytime running light. (SAE Compliant for 20" and under)



SAE J3098 compliant
for street legal use



APPLICATION | COMMON SIZES



COVERS AVAILABLE
(See p.82)

Front Bumpers | 13"



Hood, Front Bumpers | 20"



Stock RZR Cage | 32"



Aftermarket RZR Cage,
Can-Am Cage, Mid Size Truck Roof | 40"



Full Size Roof | 51"



| ITEM# | PART# | LENGTH | RAW LUMENS | DISTANCE | WATTS | AMP DRAW @12V | BEAM |
|------------|---------|--------|------------|----------|-------|---------------|------|
| XPL-H3EMH | 2506916 | 5.63" | 1,605 | 486ft. | 15W | 1.25A | Spot |
| XPL-H6EMH | 2510916 | 9.41" | 3,210 | 919ft. | 30W | 2.5A | Spot |
| XPL-H9EMH | 2513916 | 13.19" | 4,815 | 1,083ft. | 45W | 3.75A | Spot |
| XPL-H15EMH | 2520916 | 20.75" | 8,025 | 1,408ft. | 75W | 6.25A | Spot |
| XPL-H24EMH | 2530916 | 32.09" | 12,840 | 1,805ft. | 120W | 10A | Spot |
| XPL-H30EMH | 2540916 | 39.65" | 16,050 | 1,970ft. | 150W | 12.5A | Spot |
| XPL-H39EMH | 2550916 | 50.98" | 20,865 | 2,067ft. | 195W | 16.25A | Spot |

NEW | PRODUCT

XPL CURVED





RADIUSED STYLE & PERFORMANCE

The XPL Curved Halo Series LED Light Bar is our solution to growing demand for high performance curved light bars. We did it better and we are the first to do it featuring an ultra slim 2" housing with high intensity single row 5W LEDs. Utilizing our Iris Reflector Technology coupled with the unique curve of the bar, the XPL Curved Series produces a broad spot beam pattern that reaches over 1,800ft with up 23,005 raw lumens.

SIZES : 20" | 30" | 40" | 50" | 54"

BROAD
SPOT
BEAM



HIGH OUTPUT CREE LED

The 5W XT-E HE LED from Cree, coupled with our Iris Reflectors, is what allows the XPL Curved to project light up to 2,067 ft.

END CAP WING & STUD MOUNTING

Each XPL Curved Light Bar includes side wing mounts with the option of using a single bolt.

SMOOTH BACK-LIT

The XPL Curved comes equipped with a back-lit halo that can be used as a daytime running light.



APPLICATION | COMMON SIZES

Front Bumpers | 20"




Stock RZR Cage | 30"




Aftermarket UTV Cage, Mid Size Truck Roof | 40"



Full Size Roof | 50"



Full Size Roof | 54"



| ITEM# | PART# | LENGTH | RAW LUMENS | DISTANCE | WATTS | AMP DRAW @12V | BEAM |
|-------------|---------|--------|------------|----------|-------|---------------|------|
| XPL-HC15EMH | 2520717 | 20.08" | 8,025 | 1,070ft. | 75W | 6.25A | Spot |
| XPL-HC23EMH | 2530717 | 30.18" | 12,305 | 1,320ft. | 115W | 9.58A | Spot |
| XPL-HC31EMH | 2540717 | 40.20" | 16,585 | 1,520ft. | 155W | 12.92A | Spot |
| XPL-HC39EMH | 2550717 | 50.12" | 20,865 | 1,745ft. | 195W | 16.25A | Spot |
| XPL-HC43EMH | 2554717 | 53.81" | 23,005 | 1,860ft. | 215W | 17.92A | Spot |

XPR-S

XMITTER PRIME RACE SERIES




RACE SERIES SPOT BEAM FOR ULTIMATE DISTANCE OUTPUT

The XPR-S Series Light Bar uses a high intensity LED that allows the beam to take full advantage of the Iris Reflector and project the light up to 75% further than the XPR series. This light is designed to outshine and outlast the competition.

SIZES : 6" | 12" | 19" | 24" | 30" | 35" | 40" | 45" | 51" |

EXTREME
SPOT
BEAM



END CAP MOUNTS AVAILABLE
(See p.79)



UPGRADED REFLECTORS

The XPR-S Features Upgraded Reflectors that projects an unmatched spot beam up to 3,773 ft.

DUAL MOUNTING STANDARD

Mounting options include side wing mounts and our patented mounting feet.

SMOOTH BACK-LIT HALO OPTION

The XPR-S is available in a halo model that can be used as a daytime running light. (SAE Compliant for 24" and under)



SAE J3098 compliant
for street legal use



APPLICATION | COMMON SIZES

VISION LIGHTING

BLACKOUT COVER AVAILABLE
(See p.82)

Front Bumpers | **12"**



Hood, Front Bumpers | **19"**



Stock RZR Cage | **30"**



Aftermarket RZR Cage,
Can-Am Cage, Mid Size Truck Roof | **40"**



Full Size Roof | **51"**



STANDARD MODEL



HALO MODEL



| ITEM# | PART# | ITEM# | PART# | LENGTH | RAW LUMENS | DISTANCE | WATTS | AMP DRAW @12V | BEAM |
|---------|---------|----------|---------|--------|------------|----------|-------|---------------|------|
| XPR-3S | 9897462 | XPR-H3S | 9898544 | 6.14" | 3,237 | 1,557ft. | 30W | 2.5A | Spot |
| XPR-6S | 9897479 | XPR-H6S | 9898537 | 11.46" | 6,474 | 2,133ft. | 60W | 5A | Spot |
| XPR-9S | 9897455 | XPR-H9S | 9893235 | 18.80" | 9,711 | 2,362ft. | 90W | 7.5A | Spot |
| XPR-12S | 9897394 | XPR-H12S | 9897165 | 24.06" | 12,984 | 2,461ft. | 120W | 10A | Spot |
| XPR-15S | 9897400 | XPR-H15S | 9893228 | 29.37" | 16,185 | 2,789ft. | 150W | 12.5A | Spot |
| XPR-18S | 9897417 | XPR-H18S | 9893242 | 34.69" | 19,422 | 3,117ft. | 180W | 15A | Spot |
| XPR-21S | 9897424 | XPR-H21S | 9898872 | 40.00" | 22,659 | 3,281ft. | 210W | 17.5A | Spot |
| XPR-24S | 9897431 | XPR-H24S | 9898889 | 45.30" | 25,896 | 3,590ft. | 240W | 20A | Spot |
| XPR-27S | 9897448 | XPR-H27S | 9898896 | 50.63" | 29,133 | 3,773ft. | 270W | 22.5A | Spot |

XPR

XMITTER PRIME IRIS 10 WATT





MIXED BEAM FOR PERIPHERAL AND DISTANCE ILLUMINATION

The XPR LED Light bar series provides a powerful distance with **Mixed Beam tilted reflectors** to illuminate your peripherals. The 10-Watt LEDs through the large Iris Reflectors make this bar one of the furthest shining Mixed Beam bars out there. The XPR is also available in a back-lit **Halo Model**.

SIZES : 6" | 12" | 19" | 24" | 30" | 35" | 40" | 45" | 51" |

COMBO/
MIXED
BEAM



TILTED REFLECTORS

The XPR Features Tilted Reflectors on the ends that angle the beam outward to illuminate off to the sides of your vehicle.

DUAL MOUNTING STANDARD

Mounting options include side wing mounts and our patented mounting feet.

SMOOTH BACK-LIT HALO OPTION

The XPR is available in a halo model that can be used as a daytime running light. (SAE Compliant for 24" and under)

END CAP MOUNTS AVAILABLE
(See p.79)



SAE J3098 compliant
for street legal use



APPLICATION | COMMON SIZES



BLACKOUT COVER AVAILABLE
(See p.82)

Front Bumpers | 12"



Hood, Front Bumpers | 19"



Stock RZR Cage | 30"



Aftermarket RZR Cage,
Can-Am Cage, Mid Size Truck Roof | 40"



Full Size Roof | 51"



STANDARD MODEL



HALO MODEL



| ITEM# | PART# | ITEM# | PART# | LENGTH | RAW LUMENS | DISTANCE | WATTS | AMP DRAW @12V | BEAM |
|---------|---------|----------|---------|--------|------------|----------|-------|---------------|-------|
| XPR-3 | 9891606 | N/A | N/A | 6.14" | 3,237 | 1,040ft. | 30W | 2.5A | Mixed |
| XPR-6 | 9891613 | N/A | N/A | 11.46" | 6,474 | 1,262ft. | 60W | 5A | Mixed |
| XPR-9M | 9891620 | XPR-H9M | 9911816 | 18.80" | 9,711 | 1,365ft. | 90W | 7.5A | Mixed |
| XPR-12M | 9891637 | XPR-H12M | 9911786 | 24.06" | 12,984 | 1,430ft. | 120W | 10A | Mixed |
| XPR-15M | 9891644 | XPR-H15M | 9911595 | 29.37" | 16,185 | 1,625ft. | 150W | 12.5A | Mixed |
| XPR-18M | 9891651 | XPR-H18M | 9912271 | 34.69" | 19,422 | 1,755ft. | 180W | 15A | Mixed |
| XPR-21M | 9891668 | XPR-H21M | 9911700 | 40.00" | 22,659 | 1,853ft. | 210W | 17.5A | Mixed |
| XPR-24M | 9891675 | XPR-H24M | 9911793 | 45.30" | 25,896 | 1,950ft. | 240W | 20A | Mixed |
| XPR-27M | 9891682 | XPR-H27M | 9912134 | 50.63" | 29,133 | 2,214ft. | 270W | 22.5A | Mixed |

XMITTER PRIME XTREME





DUAL ROW LEDS FOR XTREME OUTPUT

Since the Xmitter Prime Xtreme was first launched, it has held the title of "Most Raw Lumens Per Inch". Pumping out nearly 1,000 raw lumens per inch, the Xmitter Prime Xtreme is unmatched in terms of effective power and performance.

*Also Available in **AMBER LED** (See VISIONXLIGHTING.COM)

SIZES : 5" | 8" | 11" | 18" | 20" | 30" | 40" | 50" |



DUAL ROW HIGH OUTPUT CREE LED

The 5W XP-G2 LED from Cree allows the Xmitter Prime Xtreme to output up to 47,520 Lumens (50in).

WATERPROOF HOUSING

The IP-68/69K rated housing ensures a water tight seal even under the toughest conditions.

END CAP MOUNTING OPTION

Vision X offers bolts that attach for side bolt mounting. (See p.79)





APPLICATION | COMMON SIZES



COVERS AVAILABLE
(See p.82)

Front Bumpers | 11"



Hood, Front Bumpers | 20"



Stock RZR Cage | 30"



Aftermarket RZR Cage,
Can-Am Cage, Mid Size Truck Roof | 40"



Full Size Roof | 50"



BROAD SPOT MODEL



MEDIUM FLOOD MODEL



MIXED BEAM MODEL



| ITEM# | PART# | ITEM# | PART# | ITEM# | PART# | LENGTH | RAW LUMENS | WATTS | AMP DRAW @12V |
|------------|---------|------------|---------|-----------|---------|--------|------------|-------|---------------|
| XIL-PX610 | 9117409 | XIL-PX640 | 9117492 | XIL-PX6M | 9894850 | 4.70" | 3,168lm | 30W | 2.5A |
| XIL-PX1210 | 9115603 | XIL-PX1240 | 9115696 | XIL-PX12M | 9894751 | 7.90" | 6,336lm | 60W | 5A |
| XIL-PX1810 | 9115788 | XIL-PX1840 | 9115870 | XIL-PX18M | 9887890 | 11.10" | 9,504lm | 90W | 7.5A |
| XIL-PX3010 | 9116860 | XIL-PX3040 | 9116952 | XIL-PX30M | 9123431 | 17.50" | 15,840lm | 150W | 12.5A |
| XIL-PX3610 | 9117041 | XIL-PX3640 | 9117133 | XIL-PX36M | 9894836 | 20.60" | 19,008lm | 180W | 15A |
| XIL-PX5410 | 9117225 | XIL-PX5440 | 9117317 | XIL-PX54M | 9153223 | 30.20" | 28,512lm | 270W | 22.5A |
| XIL-PX7210 | 9117584 | XIL-PX7240 | 9117676 | XIL-PX72M | 9153490 | 39.80" | 38,016lm | 360W | 30A |
| XIL-PX9010 | 9887036 | XIL-PX9040 | 9887043 | XIL-PX90M | 9132792 | 49.37" | 47,520lm | 450W | 37.5A |

XMITTER LO-PRO XTREME





LOW PROFILE MEETS XTREME OUTPUT

The Low Profile Xmitter Prime is compact with a height of only 2.06" for a slim fit with outstanding 5watt LED light output. Available in multiple beam configurations. The Low Profile Prime XP Series also makes use of Prime Drive Technology which manages heat levels to prolong the life of the LEDs.

*Also Available in **AMBER LED** (See VISIONXLIGHTING.COM)

SIZES : 5" | 8" | 12" | 20" | 24" | 31" | 42" | 50" |



HIGH OUTPUT CREE LED

The 5W XP-G2 LED from Cree allows the Xmitter Lo Pro Prime Xtreme to output up to 20,600 Lumens (50in).

LOW PROFILE WATERPROOF HOUSING

The IP-68 rated housing ensures a water tight seal even under the toughest conditions.

END CAP MOUNTING OPTION

Vision X offers bolts that attach for side bolt mounting. (See p.79)





APPLICATION | COMMON SIZES



COVERS AVAILABLE
(See VISIONXLIGHTING.COM)

Front Bumpers | **12"**



Hood, Front Bumpers | **20"**



Stock RZR Cage | **31"**



Aftermarket RZR Cage,
Can-Am Cage, Mid Size Truck Roof | **42"**



Full Size Roof | **50"**



BROAD SPOT MODEL



MEDIUM FLOOD MODEL



MIXED BEAM MODEL



| ITEM# | PART# | ITEM# | PART# | ITEM# | PART# | LENGTH | RAW LUMENS | WATTS | AMP DRAW @12V |
|-------------|---------|-------------|---------|------------|---------|--------|------------|-------|---------------|
| XIL-LPX310 | 4000759 | XIL-LPX340 | 4000766 | N/A | N/A | 4.65" | 1,584lm | 15W | 1.25A |
| XIL-LPX610 | 9118758 | XIL-LPX640 | 9120737 | XIL-LPX6M | 9153407 | 8.43" | 3,168lm | 30W | 2.5A |
| XIL-LPX910 | 4000773 | XIL-LPX940 | 4000780 | XIL-LPX9M | 9928609 | 12.21" | 4,752lm | 45W | 3.75A |
| XIL-LPX1510 | 9114613 | XIL-LPX1540 | 9114705 | XIL-LPX15M | 9897042 | 19.77" | 7,920lm | 75W | 6.25A |
| XIL-LPX1810 | 9114798 | XIL-LPX1840 | 9114880 | XIL-LPX18M | 9137025 | 23.55" | 9,504lm | 90W | 7.5A |
| XIL-LPX2410 | 9121901 | XIL-LPX2440 | 9132884 | XIL-LPX24M | 9889351 | 31.11" | 12,672lm | 120W | 10A |
| XIL-LPX3310 | 9115153 | XIL-LPX3340 | 9115245 | XIL-LPX33M | 9115153 | 42.44" | 17,424lm | 165W | 13.75A |
| XIL-LPX3910 | 9128115 | XIL-LPX3940 | 9132976 | XIL-LPX39M | 9892252 | 50.00" | 20,592lm | 195W | 16.25A |

NEW | PRODUCT

CHASER REAR LED SYSTEM

MODEL | 28" |




MODEL | 35" |



CHASER BAR FOR XTREME ENTHUSIAST

The Vision X Chaser Bar provides high output color LEDs in a sleek, low profile housing with a bright flood beam pattern. This rear mounted light bar can be configured as your running and brake lights using standard Red, Amber, and White LED's.

The Chaser Bar comes in two sizes to accommodate stock UTV (28") and after-market UTV (35") roll cages.



HIGH OUTPUT COLOR LED
Combination of 5W (White) and 3W (Color) LEDs allows the XPL Chaser Bar to outshine the competition.

LOW PROFILE WATERPROOF HOUSING
The 2" slim IP-67/69K rated housing ensures a water tight seal even under the toughest conditions.

DUAL MOUNTING

The XPL Chaser comes standard with wing mounts with the option of just using the end cap bolt for side stud mounting.



LED COLOR | FUNCTION

MODEL | 28" |



RED | BRAKE & TAIL |

RED | BRAKE & TAIL |



AMBER | STATIC |

AMBER | FLASHING |



WHITE | REVERSE & UTILITY |



| ITEM# | PART# | LENGTH | WATTS | AMP DRAW @12V | BEAM |
|------------|---------|--------|-------|---------------|-------|
| XPL-CBSR28 | 2928101 | 28.15" | 69W | 5.75A | Flood |
| XPL-CBSR35 | 2935101 | 35.75" | 98W | 8.17A | Flood |

ACCENT LIGHTING

43 XP Rock Lights

44 Pro Pods

44 Tantrum

45 Strip Lights & Utility Flood



NEW | PRODUCT

XP ROCK LIGHTS



DURABLE XTREME ROCK LIGHT KIT

The new Vision X LED Rock Light Kits feature 9 watts per pod of ultra bright style lighting. Offered in a 4-light 36 watt kit (UTV or Small Vehicle) or 6-light 54 watt kit (Truck or 4-Door Jeep), each kit comes with a flat mount and tube mount base for each pod to aid in easy installation. The supplied control box allows for easy connection and wire routing without cutting and splicing each pod lead.

LED COLORS | AVAILABLE



POD EXTENSION HARNESS



| ITEM# | LENGTH |
|-------------|--------|
| HIL-RLEX6FT | 6' |

4 LIGHT KIT



| ITEM# | PART# | COLOR |
|----------|---------|-------|
| HIL-RL4A | 9929309 | Amber |
| HIL-RL4B | 9929316 | Blue |
| HIL-RL4G | 9929323 | Green |
| HIL-RL4R | 9929347 | Red |
| HIL-RL4W | 9929354 | White |
| HIL-RL4M | 9929330 | Multi |

6 LIGHT KIT



| ITEM# | PART# | COLOR |
|----------|---------|-------|
| HIL-RL6A | 9929361 | Amber |
| HIL-RL6B | 9929378 | Blue |
| HIL-RL6G | 9929385 | Green |
| HIL-RL6R | 9929408 | Red |
| HIL-RL6W | 9929415 | White |
| HIL-RL6M | 9929392 | Multi |

LED ACCENT | LIGHTING



LED POD | LIGHTS

Vision X offers a diverse line of accent pod lighting. Easily attract attention to your vehicle with the wide variety of colors. Each durable pod and strip light accepts 9-32 volt input and features a strong black housing. Ideal for professional grade applications and weekend enthusiasts alike.

PRO POD | LED LIGHT



- Features:**
 140 Lumens Per Pod
 5 Color Options
 3ft. Power Cord
 Weatherproof Housing

| ITEM# | PART# | COLOR | SIZE |
|---------|---------|---|-------|
| XIL-PDA | 9136219 | Amber  | 1.76" |
| XIL-PDB | 9136301 | Blue  | 1.76" |
| XIL-PDG | 9136394 | Green  | 1.76" |
| XIL-PDR | 9136486 | Red  | 1.76" |
| XIL-PDW | 9136127 | White  | 1.76" |

POD | LED LIGHT



- Features:**
 70 Lumens Per Pod
 5 Color Options
 10ft. Power Cord
 Acrylic Lens

| ITEM# | PART# | COLOR | SIZE |
|--------|---------|---|-------|
| HIL-DA | 4004078 | Amber  | 1.25" |
| HIL-DB | 4004139 | Blue  | 1.25" |
| HIL-DG | 4004146 | Green  | 1.25" |
| HIL-DR | 4004061 | Red  | 1.25" |
| HIL-DW | 4004054 | White  | 1.25" |

TANTRUM | POD KIT



- Features:**
 560 Lumens Per Kit
 Includes 8 Pods
 Multi-Speed Scanning
 Flash Control
 Wireless Remote

| ITEM# | PART# | COLOR | SIZE |
|---------|---------|---|-------|
| HIL-STA | 4005662 | Amber  | 1.25" |
| HIL-STB | 4005372 | Blue  | 1.25" |
| HIL-STG | 4005396 | Green  | 1.25" |
| HIL-STR | 4005389 | Red  | 1.25" |
| HIL-STW | 4005419 | White  | 1.25" |
| HIL-STM | 4005679 | Multi  | 1.25" |



LED STRIP | LIGHTS

Strip Lights are available in standard (for switched applications) and touch models, which feature 50% Brightness, 100% Brightness and Off modes.



Features:
 Compact Design
 Touch Activation
 (Optional)

| ITEM# | PART# | RAW LUMENS | TOUCH | LENGTH |
|-----------|---------|------------|-------|--------|
| XIL-ST7.5 | 9136219 | 140(ea) | Yes | 7.4" |
| XIL-ST12 | 9136301 | 140(ea) | Yes | 11.9" |
| XIL-SL7.5 | 9136394 | 140(ea) | No | 7.4" |
| XIL-SL12 | 9136486 | 140(ea) | No | 11.9" |

LED UTILITY FLOOD | LIGHTS

The Utility Market Flood Light features 32 wide angle LEDs making this the perfect lighting solution for applications such as back-up lighting, area lighting, or a number of other applications.



Features:
 500 Lumens (ea)
 120° Flood Beam
 6 Color Options

| ITEM# | PART# | RAW LUMENS | COLOR | SIZE |
|-----------|---------|------------|--------|----------------|
| XIL-UF32A | 9119298 | 500 | Amber | 3.4"x1.9"x0.9" |
| XIL-UF32B | 9121185 | 500 | Blue | 3.4"x1.9"x0.9" |
| XIL-UF32G | 9121277 | 500 | Green | 3.4"x1.9"x0.9" |
| XIL-UF32R | 9121369 | 500 | Red | 3.4"x1.9"x0.9" |
| XIL-UF32P | 9135045 | 500 | Purple | 3.4"x1.9"x0.9" |
| XIL-UF32 | 4001824 | 500 | White | 3.4"x1.9"x0.9" |

LED SCENE | LIGHT

The compact and durable scene light features a robust water tight housing that can with stand the elements while producing a bright flood beam.



Features:
 IP68/69K Rated Housing
 Mixed 60°/40° Flood Optics
 5W LEDs

| ITEM# | PART# | RAW LUMENS | CONNECTOR | SIZE |
|---------|---------|------------|-----------|-------------------|
| VL0503M | 9933658 | 1,140(ea) | No | 4.69"x2.83"x2.01" |
| VW0503M | 9933665 | 1,140(ea) | Yes | 4.69"x2.83"x2.01" |

LED WORK/SCENE LIGHTS

54 VL-Series Light Duty

56 Duralux

58 UMX







VL-SERIES

LIGHT DUTY COMMERCIAL

VERSATILITY MEETS LIGHT OUTPUT

The VL-Series LED Light Duty offers outstanding light output in a functional design which can be easily adjusted with the single bolt bracket. High quality construction and components enable VL-Series LED Light Duty to withstand vibration up to 15.6 Grms. Built-in reverse polarity protection helps prevent accidental damage caused by incorrect installation. VL-Series LED Light Duty work lighting is a high value, versatile range designed for many light duty commercial applications.

*The VL-Series comes with a **standard 1-year warranty.**



VL-SERIES LED LIGHTS FEATURES:

ULTRA BRIGHT CREE LEDS

Utilizing 5W Cree LEDs, the VL-Series Lights pump out 106 Lumens per watt.

FLOOD OPTICS

Each LED has a 40° flood optic that allows for each light to produce a wide spread beam.

UNIVERSAL MOUNTING

The single bolt mounting system allows for simple and easy placement.



VL-SERIES SQUARE HOUSING



9LED | 45W

6LED | 30W

5LED | 20W

4LED | 12W

| ITEM# | PART# | LEDS | RAW LUMENS | WATTS | AMP DRAW@12V | DIMENSIONS | BEAM | W/DEUTCH PLUG |
|-----------|---------|------|------------|-------|--------------|-------------------|-----------|---------------|
| VWS050940 | 9911373 | 9 | 4,752 | 45W | 3.75A | 4.33"x5.16"x2.33" | Med Flood | Yes |
| VWS050640 | 9911366 | 6 | 3,168 | 30W | 2.5A | 4.33"x5.16"x2.33" | Med Flood | Yes |
| VLS050940 | 9911311 | 9 | 4,752 | 45W | 3.75A | 4.33"x5.16"x2.33" | Med Flood | No |
| VLS050640 | 9911304 | 6 | 3,168 | 30W | 2.5A | 4.33"x5.16"x2.33" | Med Flood | No |
| VLS040540 | 9927091 | 5 | 2,294 | 20W | 1.67A | 4.33"x5.16"x2.33" | Med Flood | No |
| VLS030440 | 9927060 | 4 | 1,544 | 12W | 1.0A | 2.76"x3.58"x1.57" | Med Flood | No |

VL-SERIES ROUND HOUSING



9LED | 45W

6LED | 30W

5LED | 20W

| ITEM# | PART# | LEDS | RAW LUMENS | WATTS | AMP DRAW@12V | DIMENSIONS | BEAM | W/DEUTCH PLUG |
|-----------|---------|------|------------|-------|--------------|-------------------|-----------|---------------|
| VWR050940 | 9911359 | 9 | 4,752 | 45W | 3.75A | 4.33"x5.16"x2.33" | Med Flood | Yes |
| VWR050640 | 9911342 | 6 | 3,168 | 30W | 2.5A | 4.33"x5.16"x2.33" | Med Flood | Yes |
| VLR050940 | 9911298 | 9 | 4,752 | 45W | 3.75A | 4.33"x5.16"x2.33" | Med Flood | No |
| VLR050640 | 9911281 | 6 | 3,168 | 30W | 2.5A | 4.33"x5.16"x2.33" | Med Flood | No |
| VLR040540 | 9927084 | 5 | 2,294 | 20W | 1.67A | 4.33"x5.16"x2.33" | Med Flood | No |

VL-SERIES OVAL HOUSING



8LED | 40W

6LED | 30W

| ITEM# | PART# | LEDS | RAW LUMENS | WATTS | AMP DRAW@12V | DIMENSIONS | BEAM | W/DEUTCH PLUG |
|-----------|---------|------|------------|-------|--------------|-------------------|-----------|---------------|
| VW0050840 | 9911335 | 8 | 4,224 | 40W | 3.33A | 5.59"x4.39"x2.21" | Med Flood | Yes |
| VW0050640 | 9911328 | 6 | 3,168 | 30W | 2.5A | 5.59"x4.39"x2.21" | Med Flood | Yes |
| VLO050840 | 9911274 | 8 | 4,752 | 45W | 3.75A | 5.59"x4.39"x2.21" | Med Flood | No |
| VLO050640 | 9911267 | 6 | 3,168 | 30W | 2.5A | 5.59"x4.39"x2.21" | Med Flood | No |



DURALUX



DURABILITY MEETS LIGHT OUTPUT

The Duralux Series was designed with vehicles in mind. The sleek and compact housing coupled with either 4 or 6 high output LEDs makes it the perfect light for any automotive application. From fog lights to roof rack and reverse lighting, the Duralux Series combines durability with affordability to create the ultimate lighting solution for any vehicle.

FLUSH MOUNTING OPTIONS

*See p.79



2.75" DURA MINI / DURA M4M

12W | 1A | 2,000 Lumens
20W | 1.67A | 2,115 Lumens



4.0" DURA 4

20W | 1.67A | 2,112 Lumens




5.5" DURA 6

30W | 2.5A | 3,696 Lumens






DURA MINI MODEL



* KITS INCLUDE 2 LIGHTS + HARNESS

| ITEM# | PART# | RAW LUMENS | WATTS | AMP DRAW @12V | BEAM |
|-------------|---------|------------|-------|---------------|-------|
| DURA-M460 | 9895499 | 2,000 | 12W | 1.0A | Flood |
| DURA-M4M | 9911649 | 2,115 | 20W | 1.67A | Mixed |
| DURA-M4MKIT | 9911656 | 4,230 | 40W | 3.33A | Mixed |

DURA 4 MODEL




* KITS INCLUDE 2 LIGHTS + HARNESS

| ITEM# | PART# | RAW LUMENS | WATTS | AMP DRAW @12V | BEAM |
|-------------|---------|------------|-------|---------------|------------|
| DURA-410 | 9891132 | 2,112 | 20W | 1.67A | Broad Spot |
| DURA-410KIT | 9891187 | 4,224 | 40W | 3.33A | Broad Spot |
| DURA-440 | 9141619 | 2,112 | 20W | 1.67A | Med Flood |
| DURA-440A | 9889917 | 2,112 | 20W | 1.67A | Med Flood |
| DURA-460 | 9141527 | 2,112 | 20W | 1.67A | Flood |

● *AMBER LED

DURA 6 MODEL



* KITS INCLUDE 2 LIGHTS + HARNESS

| ITEM# | PART# | RAW LUMENS | WATTS | AMP DRAW @12V | BEAM |
|-------------|---------|------------|-------|---------------|------------|
| DURA-610 | 9891125 | 3,696 | 30W | 2.5A | Broad Spot |
| DURA-610KIT | 9891309 | 7,392 | 60W | 5.0A | Broad Spot |
| DURA-640 | 9888378 | 3,696 | 30W | 2.5A | Med Flood |
| DURA-660 | 9888385 | 3,696 | 30W | 2.5A | Flood |



UTILITY MARKET | XTREME



XTREME UTILITY FOR FOG LIGHT UPGRADES AND SCENE LIGHTING

Serving as an OE Fog light upgrade or scene light, the Utility Market Xtreme Series delivers increased output and a smoother beam pattern over comparable halogen fixtures. The UMX is offered in two different housing options and three different beam pattern configurations.

4.5" ROUND

35W | 2.92A | 3,969 Lumens


4.7" SQUARE

35W | 2.92A | 3,969 Lumens






ROUND MODEL



| ITEM# | PART# | RAW LUMENS | WATTS | AMP DRAW @12V | BEAM |
|-------------|---------|------------|-------|---------------|------------|
| XIL-UMX4010 | 4004719 | 3,969 | 35W | 2.92A | Broad Spot |
| XIL-UMX4040 | 9118215 | 3,969 | 35W | 2.92A | Med. Flood |
| XIL-UMX4060 | 9118307 | 3,969 | 35W | 2.92A | Flood |

SQUARE MODEL



| ITEM# | PART# | RAW LUMENS | WATTS | AMP DRAW @12V | BEAM |
|-------------|---------|------------|-------|---------------|------------|
| XIL-UMX4410 | 4004726 | 3,969 | 35W | 2.92A | Broad Spot |
| XIL-UMX4440 | 9118390 | 3,969 | 35W | 2.92A | Med. Flood |
| XIL-UMX4460 | 9118482 | 3,969 | 35W | 2.92A | Flood |





NEXT LEVEL

STYLE | OUTPUT | RELIABILITY



LED HEADLIGHTS

Take your desire for high powered LEDs to the streets with the DOT Approved VX Series LED Headlight. The VX Series boasts a daytime running halo, low and high beam modes, and a robust aluminum polycarbonate hybrid housing. E-Mark and ADR approved models also available.

VX SERIES

LED HEADLIGHT TECHNOLOGY



LED HEADLIGHTS MEETS STYLE & PERFORMANCE

The DOT Approved VX Series LED Headlight leads the LED Headlight industry in both style and performance. With an integrated LED Halo Ring, the VX Headlight is sure to turn heads while also delivering a dramatically improved night driving experience over factory headlights. The VX Series is currently available in 7" & 5.75" Round as well as 4x6" Rectangle with a Polished Chrome finish or a Black Chrome finish.

ADR and E-MARK Approved models are available for those who live in Australia and Europe.

Multiple direct plug-and-play accessories are available that help give you the most out of your VX Series LED Headlight. (See p.74)



7.0"

42W | 3.5A | 4,210 Lumens(ea)



5.75"

42W | 3.5A | 4,210 Lumens(ea)



4x6"

42W | 3.5A | 4,210 Lumens(ea)






BRIGHT DAYTIME RUNNING HALO

Every VX Series Model Headlight features an ultra smooth LED Halo Ring that can be ran independently.

WATERTIGHT HOUSING

The IP-68 watertight housing comes equipped with an ultra rugged Polycarbonate Lens and one-way Gortex® Valve to block moisture build up.



WIDE SPREAD LOW BEAM

One main 12W LED produces the wide spread low beam with the help of 5W LEDs on the sides to fill in the roadway directly in front of your vehicle.

HIGH OUTPUT HIGH BEAM

Two 10W LEDs located under the low beam utilize Iris Reflectors to produce a long range high beam.



7.0" | WHITE HALO
* KITS INCLUDE 2 LIGHTS

| ITEM# | PART# | FINISH |
|-------------|---------|-------------|
| XIL-7RD | 9891217 | CHROME |
| XIL-7RDKIT | 9891224 | CHROME |
| XIL-7RDB | 9892436 | BLK. CHROME |
| XIL-7RDBKIT | 9892443 | BLK. CHROME |



5.75" | WHITE HALO
* KITS INCLUDE 2 LIGHTS

| ITEM# | PART# | FINISH |
|---------------|---------|-------------|
| XIL-575RD | 9895604 | CHROME |
| XIL-575RDKIT | 9895611 | CHROME |
| XIL-575RDB | 9895635 | BLK. CHROME |
| XIL-575RDBKIT | 9895642 | BLK. CHROME |



4x6" | WHITE HALO
* KITS INCLUDE 2 LIGHTS

| ITEM# | PART# | FINISH |
|-------------|---------|-------------|
| XIL-46D | 9897806 | CHROME |
| XIL-46DKIT | 9897820 | CHROME |
| XIL-46DB | 9897813 | BLK. CHROME |
| XIL-46DBKIT | 9897837 | BLK. CHROME |



7.0" | AMBER HALO
* KITS INCLUDE 2 LIGHTS

| ITEM# | PART# | FINISH |
|--------------|---------|-------------|
| XIL-7RDA | 9925950 | CHROME |
| XIL-7RDAKIT | 9925967 | CHROME |
| XIL-7RDBA | 9925974 | BLK. CHROME |
| XIL-7RDBAKIT | 9925981 | BLK. CHROME |



4x6" | AMBER HALO
* KITS INCLUDE 2 LIGHTS

| ITEM# | PART# | FINISH |
|--------------|---------|-------------|
| XIL-46DA | 9925912 | CHROME |
| XIL-46DAKIT | 9917641 | CHROME |
| XIL-46DBA | 9925929 | BLK. CHROME |
| XIL-46DBAKIT | 9917634 | BLK. CHROME |



LED | HEADLIGHTS & ROAD GLIDE KIT

7.0"

42W | 3.5A | 4,210 Lumens(ea)



7.0" | MODEL

| ITEM# | PART# | FINISH |
|----------|---------|-------------|
| XMC-7RD | 9892061 | CHROME |
| XMC-7RDB | 9895291 | BLK. CHROME |

5.75"

42W | 3.5A | 4,210 Lumens(ea)



5.75" | MODEL

| ITEM# | PART# | FINISH |
|------------|---------|-------------|
| XMC-575RD | 9895628 | CHROME |
| XMC-575RDB | 9895659 | BLK. CHROME |

5.75" ROAD GLIDE

84W | 7.0A | 8,420 Lumens(Kit)



5.75" ROAD GLIDE | MODEL

| ITEM# | PART# | FINISH |
|---------------|---------|-------------|
| XMC-575ODKIT | 9895673 | CHROME |
| XMC-575ODBKIT | 9895697 | BLK. CHROME |

* KITS INCLUDE 2 LIGHTS

XMC | ACCESSORIES



BAGGER | LIGHTING



FEATURES:

- 2 Pod Kit with 40" Power Cord
- Flush switch included
- 280 Lumens per kit
- IP-68 Water & Dust Proof

| ITEM# | PART# |
|----------|---------|
| XMC-BKW2 | 9895246 |



LED TECHNOLOGY MEETS PASSING LAMP

Vision X Lighting's XMC 4.5" LED HALO Passing Lamp Kit grants extra visibility and enhances your safety on the road. These powerful 10W lights each pack five times more output than the stock passing lamps, and draw six times less amperage. Dramatically improve your performance while increasing visibility and safety. The MSR Style Reflectors give the XMC Passing Lights a powerful beam pattern than combines distance with full spread coverage.



| ITEM# | PART# | FINISH | AMP DRAW @12V |
|---------------|---------|-------------|---------------|
| XMC-45RDHKIT | 9904085 | CHROME | 0.83 |
| XMC-45RDHBKIT | 9904078 | BLK. CHROME | 0.83 |

* KITS INCLUDE 2 LIGHTS + HARNESS

XMC | ACCESSORIES

BILLET CLAMPS | 0.75"-3.0"



*Includes 2 Clamps

| ITEM# | PART# | SIZE | ITEM# | PART# | SIZE |
|----------|---------|-------|----------|---------|-------|
| XIL-C075 | 9897325 | 0.75" | XIL-C200 | 9893372 | 2.0" |
| XIL-C100 | 9897301 | 1.0" | XIL-C225 | 9893389 | 2.25" |
| XIL-C125 | 9897288 | 1.25" | XIL-C250 | 9893396 | 2.50" |
| XIL-C150 | 9897264 | 1.50" | XIL-C300 | 9893402 | 3.00" |
| XIL-C175 | 9897240 | 1.75" | | | |

WIRING | ADAPTERS



| ITEM# | PART# | FUNCTION |
|---------------|---------|------------------|
| P-HLH14 | 9895475 | HI+LO Headlight |
| XMC-H42DELPHI | 9892894 | Delphi Adapter |
| XMC-H42H9H11 | 9892900 | H9 & H11 Adapter |

LED APPLICATION SPECIFIC

62 VX Grilles

64 Trucks

66 Jeeps

68 UTV

70 Sport Marine







VX GRILLE | SERIES

BY ROYALTY CORE

GRILLE | FEATURES



FACTORY LOCATION MOUNTING


OEM replacement grille mounts to factory locations.

DURABLE CONSTRUCTION

Satin black powder coating over stainless steel grille.

STAINLESS STUDS

Triple chrome plated t304 stainless studs with black studs available.



LIGHT CANNON | OPTION

FEATURING CG2 4.7" LIGHT CANNONS

The CG2 Light Cannons is Vision X's latest and greatest of the Light Cannon series. This configuration combines the distance of the big chip single source CG2 Cannon with the massive light output of the multi-LED version. The pairing of these two lights creates an unheard of amount of brightness and distance ideal for any situation.



Beam/Color Changing
Polycarbonate Covers (See p.80)



LIGHT BAR | OPTION

FEATURING XPR-9M LIGHT BAR

Utilizing top-binned 10-Watt LEDs and large proprietary 1.5" diameter IRIS Reflectors, the XPR-9M Light Bar is capable of reaching a staggering 1,365 feet of usable light. This unmatched long-distance projection is also accompanied by precisely tilted IRIS Reflectors that create a unique combination beam pattern to provide even more visibility at the road's edge.



COVER OPTION
Blackout Cover (See p.82)



LIGHT CANNON | OPTION



LIGHT BAR | OPTION



CHEVY TRUCK | MODELS

| |
|----------------------------------|
| '15+ Chevy Silverado 2500/3500 |
| '11-14 Chevy Silverado 2500/3500 |
| '16-18 Chevy Silverado 1500 |
| '14-15 Chevy Silverado 1500 |
| '14-15 Chevy Silverado 1500 Z71 |

| ITEM# | PART# |
|---------------|---------|
| XIL-OEGC15CHD | 5162153 |
| XIL-OEGC14CHD | 5162113 |
| XIL-OEGC16CS | 5161163 |
| XIL-OEGC14CS | 5161143 |
| XIL-OEGC14CS | 5169143 |

| ITEM# | PART# |
|---------------|---------|
| XIL-OEGB15CHD | 5162150 |
| XIL-OEGB14CHD | 5162110 |
| XIL-OEGB16CS | 5161160 |
| XIL-OEGB14CS | 5161140 |
| XIL-OEGB14CS | 5169140 |

DODGE TRUCKS | MODELS

| |
|----------------------------|
| '13-17 Dodge Ram 2500/3500 |
| '13-18 Dodge Ram 1500 |

| ITEM# | PART# |
|---------------|---------|
| XIL-OEGC13DHD | 5662133 |
| XIL-OEGC13DR | 5661133 |

| ITEM# | PART# |
|---------------|---------|
| XIL-OEGB13DHD | 5662130 |
| XIL-OEGB13DR | 5661130 |

GMC TRUCKS | MODELS

| |
|-----------------------------|
| '15+ GMC Sierra 2500/3500 |
| '11-14 GMC Sierra 2500/3500 |
| '16-18 GMC Sierra 1500 |

| ITEM# | PART# |
|---------------|---------|
| XIL-OEGC15GHD | 5262153 |
| XIL-OEGC11GHD | 5262113 |
| XIL-OEGC16GS | 5261163 |

| ITEM# | PART# |
|---------------|---------|
| XIL-OEGB15GHD | 5262150 |
| XIL-OEGB11GHD | 5262110 |
| XIL-OEGB16GS | 5261160 |

FORD TRUCKS | MODELS

| |
|-----------------------|
| '17+ Ford SuperDuty |
| '11-16 Ford SuperDuty |
| '15-17 Ford F-150 |
| '13-14 Ford F-150 |

| ITEM# | PART# |
|----------------|---------|
| XIL-OEGC17FSD | 5062173 |
| XIL-OEGC11FSD | 5062113 |
| XIL-OEGC15F150 | 5061153 |
| XIL-OEGC13F150 | 5061133 |

| ITEM# | PART# |
|----------------|---------|
| XIL-OEGB17FSD | 5062170 |
| XIL-OEGB11FSD | 5062110 |
| XIL-OEGB15F150 | 5061150 |
| XIL-OEGB13F150 | 5061130 |

TOYOTA TRUCKS | MODELS

| |
|----------------------|
| '14-17 Toyota Tundra |
| '16-18 Toyota Tacoma |
| '12-15 Toyota Tacoma |

| ITEM# | PART# |
|---------------|---------|
| XIL-OEGC14TT | 5361143 |
| XIL-OEGC16TTA | 5360163 |
| XIL-OEGC12TTA | 5360123 |

| ITEM# | PART# |
|---------------|---------|
| XIL-OEGB14TT | 5361140 |
| XIL-OEGB16TTA | 5360160 |
| XIL-OEGB12TTA | 5360120 |

TRUCK | KITS

GMC TRUCK | BUMPER LIGHT KIT

*Image with Lights Shown Above



| ITEM# | PART# | APPLICATION | LIGHTS |
|---------------------|---------|-------------------|----------------------------|
| XIL-OEBM17GHD | 9934327 | '17-18 GMC Sierra | Brackets Only + Connectors |
| XIL-OEBM17GHDCPM710 | 9934334 | '17-18 GMC Sierra | (6) 4.7" CG2 Broad Spot |

FORD TRUCK | BUMPER LIGHT KITS



| ITEM# | PART# | VEHICLE APPLICATION | LIGHTS |
|----------------------|---------|-----------------------------|--------------------------------|
| XIL-OEB09F150 | 9891057 | '09-14 Ford F-150 | Brackets Only + Connectors |
| XIL-OEB09F150PX36 | 9891156 | '09-14 Ford F-150 | 20" Xmitter Prime Broad Spot |
| XIL-OEB09F150LPX15 | 9891163 | '09-14 Ford F-150 | 20" Xmitter Lo Pro Broad Spot |
| XIL-OEB09F150ECO | 9891170 | '09-14 Ford F-150 Eco Boost | 2x 5" Xmitter Prime Broad Spot |
| XIL-OEB09F150EOCA | 9911052 | '09-14 Ford F-150 Eco Boost | 2x 5" Xmitter Prime Amber Spot |
| XIL-OEB10FR | 9887340 | '09-14 Ford Raptor | Brackets Only + Connectors |
| XIL-OEB10FRPX3610 | 9887357 | '09-14 Ford Raptor | 20" Xmitter Prime Broad Spot |
| XIL-OEB0810FSD | 9891835 | '08-10 Ford SuperDuty | Brackets Only + Connectors |
| XIL-OEB0810FSDPX3610 | 9891842 | '08-10 Ford SuperDuty | 20" Xmitter Prime Broad Spot |
| XIL-OEB0810FSDXPR12M | 5012082 | '08-10 Ford SuperDuty | 24" XPR Mixed |
| XIL-OEB1114FSD | 9891866 | '11-14 Ford SuperDuty | Brackets Only + Connectors |
| XIL-OEB1114FSDPX3610 | 9891873 | '11-14 Ford SuperDuty | 20" Xmitter Prime Broad Spot |
| XIL-OEB1114FSDXPR12M | 5012112 | '11-16 Ford SuperDuty | 24" XPR |

DODGE TRUCK | BUMPER LIGHT KITS



| ITEM# | PART# | APPLICATION | LIGHTS |
|---------------------|---------|------------------|------------------------------|
| XIL-OEB0913DR | 9889238 | '10-16 Dodge Ram | Brackets Only + Connectors |
| XIL-OEB0913DRPX3610 | 9889245 | '10-16 Dodge Ram | 20" Xmitter Prime Broad Spot |

GMC TRUCK | BEHIND THE GRILL KITS



| ITEM# | PART# | APPLICATION | LIGHTS |
|--------------------|---------|-----------------|----------------------------|
| XIL-OER14GS | 5272140 | '14+ GMC Sierra | Brackets Only + Connectors |
| XIL-OER14GSXPR15M | 5272141 | '14+ GMC Sierra | 30" XPR Mixed |
| XIL-OER14GSXPR15S | 5272142 | '14+ GMC Sierra | 30" XPR-S Spot |
| XIL-OER14GSXPRH15S | 5272146 | '14+ GMC Sierra | 30" XPR-S Halo Spot |

FOG LIGHT | KITS



With the Vision X Fog Light kit, you can rest assured that the LEDs inside are the best LEDs obtainable. Top-binned and perfectly constructed, these high powered LEDs are capable of outputting the maximum amount of lumens per LED.

The Vision X OE Kits are designed with the customer in mind, with easy direct to factory fitting kits that take little to no modification to install. Every kit comes with direct to factory plugs to make an easy connection between your new lights and your factory plugs.

(Reference VISIONXLIGHTING.com for ALL applications)

FORD TRUCK | FOG LIGHT KITS



| ITEM# | PART# | VEHICLE APPLICATION | LIGHTS |
|-------------------|---------|-----------------------|--------------------------------|
| XIL-OE17FR | 9906072 | 17'+ Ford Raptor | Brackets Only + Connectors |
| XIL-OE17FROP | 9906089 | 17'+ Ford Raptor | 4x Optimus Sq. Spot |
| XIL-OE17FROPH | 9906096 | 17'+ Ford Raptor | 4x Optimus Sq. Spot Halo |
| XIL-OE17FROPHA | 9907208 | 17'+ Ford Raptor | 4x Optimus Sq. Spot Amber Halo |
| XIL-OE17FROPMP | 9911243 | 17'+ Ford Raptor | 4x Optimus Sq. Mixed |
| XIL-OE10FR | 9160870 | 10'-14 Ford Raptor | Brackets Only + Connectors |
| XIL-OE10FROP | 9133515 | 10'-14 Ford Raptor | 4x Optimus Sq. Spot |
| XIL-OE10FROPH | 9892450 | 10'-14 Ford Raptor | 4x Optimus Sq. Spot Halo |
| XIL-OE9913FSD | 9891194 | 99'-16 Ford SuperDuty | Brackets Only + Connectors |
| XIL-OE9913FSDDURA | 9891200 | 99'-16 Ford SuperDuty | 2x Dura 4 Spot |

DODGE TRUCK | FOG LIGHT KITS



| ITEM# | PART# | APPLICATION | LIGHTS |
|--------------------|---------|------------------|----------------------------|
| XIL-OE0913DR | 9889221 | 10'-16 Dodge Ram | Brackets Only + Connectors |
| XIL-OE0913DROP | 9889252 | 10'-16 Dodge Ram | 2x Optimus Sq. Spot |
| XIL-OE0913DROP1MX2 | 9890685 | 10'-16 Dodge Ram | 4x Optimus Sq. Mixed |
| XIL-OE0210DR | 4002333 | 02'-10 Dodge Ram | Brackets Only + Connectors |
| XIL-OE0210DRUMX | 9133065 | 02'-10 Dodge Ram | 2x UMX Round Spot |

GMC TRUCK | FOG LIGHT KITS



| ITEM# | PART# | APPLICATION | LIGHTS |
|-----------------|---------|------------------|----------------------------|
| XIL-OE0711GS | 4002388 | 07-13 GMC Sierra | Brackets Only + Connectors |
| XIL-OE0711GSUMX | 9133157 | 07-13 GMC Sierra | 2x UMX Round Broad Spot |

CHEVY TRUCK | FOG LIGHT KITS



| ITEM# | PART# | APPLICATION | LIGHTS |
|-------------------|---------|-----------------------|----------------------------|
| XIL-OE0711CS | 4002340 | 07-13 Chevy Silverado | Brackets Only + Connectors |
| XIL-OE0711CSS1100 | 9120829 | 07-13 Chevy Silverado | 4x Solstice Solo Spot |

TOYOTA TRUCK | FOG LIGHT KITS



| ITEM# | PART# | APPLICATION | LIGHTS |
|-----------------|---------|---------------------|----------------------------|
| XIL-OE0711TT | 4002296 | 07-14 Toyota Tundra | Brackets Only + Connectors |
| XIL-OE0711TTUMX | 9133249 | 07-14 Toyota Tundra | 2x UMX Round Broad Spot |

JEEP | KITS



HEADLIGHT | KITS



The DOT Approved VX Series LED Headlight leads the LED Headlight industry in both style and performance. With an integrated LED Halo, the VX Headlight is sure to turn heads while also delivering a dramatically improved night driving experience over factory headlights.

JEEP JK SPECIFIC INTEGRATED CANBUS

JK Model Headlight kits now come standard with the Canbus integrated into the housing with a H13 Plug.

JEEP JK SPECIFIC | MODEL

| ITEM# | PART# | FINISH | HALO COLOR |
|----------------|---------|-------------|------------|
| XIL-7RDKITJK | 9892733 | CHROME | WHITE |
| XIL-7RDBKITJK | 9892825 | BLK. CHROME | WHITE |
| XIL-7RDAKITJK | 9917566 | CHROME | AMBER |
| XIL-7RDBAKITJK | 9917573 | BLK. CHROME | AMBER |

* KITS INCLUDE 2 HEADLIGHTS

ALL OTHER JEEP | MODEL

| ITEM# | PART# | FINISH | HALO COLOR |
|-------------|---------|-------------|------------|
| XIL-7RDKIT | 9891224 | CHROME | WHITE |
| XIL-7RDBKIT | 9892443 | BLK. CHROME | WHITE |

* KITS INCLUDE 2 HEADLIGHTS

WINDSHIELD | LIGHT BAR MOUNT



The Light Bar Windshield Mount bolts directly into existing holes allowing for quick installation. The Vision X Jeep JK Windshield mount is designed to fit any 50" + Light bar with mounting feet, such as our Xmitter Prime Xtreme Light Bar with 47,520 Raw Lumens or our XPR-S Light Bar with Unbeatable Distance. The Jeep JK Windshield Mount is also adaptable for mounting traditional round style pod lights such as our Light Cannons or HID Lights.

| ITEM# | PART# | APPLICATION |
|-----------------|---------|---------------|
| XIL-OEW0713JKV2 | 9888422 | 07-13 Jeep JK |



FOG LIGHT | KITS

With the Vision X Fog Light kit, you can rest assured that the LEDs inside are the best LEDs obtainable. Top-binned and perfectly constructed, these high powered LEDs are capable of outputting the maximum amount of lumens per LED.

The Vision X OE Kits are designed with the customer in mind with easy direct to factory fitting kits that take little to no modification to install. Every kit comes with direct to factory plugs to make an easy connection between your new lights and your factory plugs.

(Reference VISIONXLIGHTING.com for ALL applications)

JEEP | FOG LIGHT KITS



| ITEM# | PART# | VEHICLE APPLICATION | LIGHTS |
|--------------------|---------|----------------------------|----------------------------|
| XIL-OE0709JKV2 | 9145662 | 07-09 Jeep JK | Brackets Only + Connectors |
| XIL-OE0709JKV2OPR | 9145754 | 07-09 Jeep JK | 2x Optimus Rnd. Spot |
| XIL-OE0709JKV2OPRH | 9891811 | 07-09 Jeep JK | 2x Optimus Rnd. Spot Halo |
| XIL-OE1012JKV2 | 9154664 | 10-17 Jeep JK | Brackets Only + Connectors |
| XIL-OE1012JKV2OPR | 9154756 | 10-17 Jeep JK | 2x Optimus Rnd. Spot |
| XIL-OE1012JKV2OPRH | 9891828 | 10-17 Jeep JK | 2x Optimus Rnd. Spot Halo |
| XIL-OE10JKCPM | 5504104 | 10-17 Jeep JK | 2x Mini Cannon Broad Spot |
| XIL-OE13JKX | 9891064 | 13-17 Jeep JK X | Brackets Only + Connectors |
| XIL-OE13JKXOPR | 9891088 | 13-17 Jeep JK X | 2x Optimus Rnd. Spot |
| XIL-OE13JKXOPRH | 9892474 | 13-17 Jeep JK X | 2x Optimus Rnd. Spot Halo |
| XIL-OE18JL | 5504180 | 18+ Jeep JL | Brackets Only + Connectors |
| XIL-OE18JLCPM | 5504184 | 18+ Jeep JL | 2x Mini Cannon Broad Spot |
| XIL-OE18JLM | 5509180 | 18+ Jeep JL(Metal Bumper) | Brackets Only + Connectors |
| XIL-OE18JLMCPM | 5509184 | 18+ Jeep JL (Metal Bumper) | 2x Mini Cannon Broad Spot |

A-PILLAR & HOOD | LIGHT KITS

JEEP | A-PILLAR LIGHT KITS



| ITEM# | PART# | VEHICLE APPLICATION | LIGHTS |
|-------------------|---------|---------------------|----------------------------|
| XIL-OEA0713JK | 9888392 | 07-17 Jeep JK | Brackets Only + Connectors |
| XIL-OEA0713JKCPZ1 | 9888415 | 07-17 Jeep JK | 2x 4.5" Light Cannon Spot |
| XIL-OEA0713JKOP1 | 9888408 | 07-17 Jeep JK | 2x Optimus Rnd. Spot |
| XIL-OEA0713JKOPH | 9892481 | 07-17 Jeep JK | 2x Optimus Rnd. Spot Halo |
| XIL-OEA07JKCPM710 | 5544074 | 07-17 Jeep JK | 2x 4.7" CG2 Broad Spot |
| XIL-OEA9706TJ | 9892788 | 97-06 Jeep TJ | Brackets Only + Connectors |
| XIL-OEA9706TJCPZ1 | 9892795 | 97-06 Jeep TJ | 2x 4.5" Light Cannon |
| XIL-OEA9706TJOP1 | 9892801 | 97-06 Jeep TJ | 2x Optimus Rnd. Spot |
| XIL-OEA9706TJOPH | 9892818 | 97-06 Jeep TJ | 2x Optimus Rnd. Spot Halo |

JEEP | HOOD LIGHT BAR KITS



| ITEM# | PART# | VEHICLE APPLICATION | LIGHTS |
|---------------------|---------|---------------------|-------------------------------|
| XIL-OEH0713JK | 9890975 | 07+ Jeep JK | Brackets Only |
| XIL-OEH0713JKPX36 | 9891002 | 07+ Jeep JK | 20" Xmitter Prime Xtreme Spot |
| XIL-OEH0713JKXPR12M | 5524072 | 07+ Jeep JK | 24" XPR |

UTV | KITS

RZR TWIN HEADLIGHT | KITS

Features four Optimus LED lights (10 WATT EA.) and a simple Plug-N-Play harness. These 100% Bolt-On vehicle specific brackets are built to use the factory switches and only 0.83A Draw Each light while putting out a brilliant 4,208 Total Raw Lumens of light per kit .



FOR ALL 08-14 RZR 900 | MODELS



| ITEM# | PART# | LIGHTS & BEAM | HOUSING COLOR |
|---------------------|---------|----------------------------|---------------|
| XIL-OEHL08RZR900 | 9145754 | Brackets Only + Connectors | |
| XIL-OEHL08RZR900OP | 9891811 | 4x Optimus Round Spot | Black |
| XIL-OEHL08RZR9000PC | 9154756 | 4x Optimus Round Spot | Chrome |
| XIL-OEHL08RZR9000PW | 9891828 | 4x Optimus Round Spot | White |
| XIL-OEHL08RZR9000PH | 9891088 | 4x Optimus Round Halo Spot | Black |

FOR ALL 14+ RZR 1000 | MODELS



| ITEM# | PART# | LIGHTS & BEAM | HOUSING COLOR |
|------------------|---------|----------------------------|---------------|
| XIL-OEHL14RZR | 9897509 | Brackets Only + Connectors | |
| XIL-OEHL14RZRPR | 9897516 | 4x Optimus Round Spot | Black |
| XIL-OEHL14RZRPRC | 9898490 | 4x Optimus Round Spot | Chrome |
| XIL-OEHL14RZRPRW | 9898513 | 4x Optimus Round Spot | White |
| XIL-OEHL14RZRPRH | 9898520 | 4x Optimus Round Halo Spot | Black |

CAN-AM X3 SHOCK TOWER | MOUNT

The Vision X Shock Tower Light Mount for 2016+ Can-Am Maverick X3 makes adding a 12" LED light bar an easy task. The powder coated steel mount bolts quickly to the existing shock mount, providing a new world to light up your night.



| ITEM# | PART# | LIGHTS & BEAM | MODEL |
|--------------|---------|---------------|-------------|
| XIL-OEH16CX3 | 6222161 | Brackets Only | '17+ Mav X3 |



RZR A-PILLAR | KITS

Improve your night visibility for high speed or tight corners in your Polaris RZR with these bolt-on A-pillar brackets and LED lighting kits. These durable powder coated steel brackets are built for a beating on the trail while 3.7" Optimus LED Lights shine up to 883' of usable light, and changeable through our snap-on beam covers. Need a Euro or Flood beam for cornering? Just add the right cover in seconds! Need more style or a Daytime Running Light (DRL), then the Optimus LED Halo is your choice!

FOR ALL '08'+ RZR | MODELS




| ITEM# | PART# | LIGHTS & BEAM | MODEL |
|-------------------|---------|----------------------------|----------|
| XIL-OEAS08RZR | 6042083 | Brackets Only + Connectors | '08+ RZR |
| XIL-OEAS08RZR0PR | 6042084 | 2x Optimus Round Spot | '08+ RZR |
| XIL-OEAS08RZR0PRH | 6042086 | 2x Optimus Round Halo Spot | '08+ RZR |

CAN-AM X3 RACK | MOUNT

The Vision X Cannon Rack for 2017+ Can-Am Maverick X3 allows you to mount six of the latest 4.7" CG2 LED Light Cannons for up to 31,500 Lumens, over 1,115' of Usable light, and the greatest aiming versatility. The welded steel and black powder coated Cannon Rack includes all hardware for an easy bolt-on installation. *Lights Sold Separately



FOR ALL '17+ CAN AM X3 | MODELS



*Lights Sold Separately

| ITEM# | PART# | LIGHTS & BEAM | MODEL |
|---------------|---------|----------------|-------------|
| XIL-OERC16CX3 | 6232163 | Roof Rack Only | '17+ Mav X3 |



ROOF LIGHT BAR | MOUNTS

Shine up to 3,700' down the trail utilizing these bolt-on LED Light bar brackets with the Vision X 30" XPR Series light bars. Designed for Stock Cage RZR XP & Maverick X3, these durable powder coated steel brackets will hold your lights steady while slashing through the trail or dunes.

RZR Light Bar Mount is designed to fit any of our 30" XPR, XPR-Halo, XPR-S, and XPR-S Halo series light bars.

Maverick X3 Light Bar Mount is designed to fit any of our 40" XPR, XPR-Halo, XPR-S, and XPR-S Halo series light bars.

FOR '14+ RZR & '17+ Maverick X3 | MODELS



| ITEM# | PART# | LIGHTS & BEAM | MODEL |
|---------------|---------|---------------|-------------|
| XIL-OESC14RZR | 6032140 | Brackets Only | '14 + RZR |
| XIL-OESC16CX3 | 6232161 | Brackets Only | '17+ Mav X3 |

SPORT | MARINE

MARINE GRADE COATING SAME LED TECHNOLOGY

Submersible up to 100 feet, the Subaqua offers a powerful LED light module for underwater applications. The 6-LED model offers double the effective light output of the previous 4-LED generation Subaqua. Designed for transom lighting, dock lighting, and any underwater application.

LED Color Options :     

FLOOD OPTICS

Utilizing a medium beam 25 degree optic, the Subaqua has optimum underwater operation.

COMPACT SIZE

In a compact 4.13" diameter, the 6 LED Subaqua fits anywhere.

LOW POWER DRAW

With an extremely low power draw of 1.5 amps, the Subaqua will not put a large strain on your boat battery.

| ITEM# | PART# | LUMENS | COLOR |
|-----------|---------|--------|---|
| XIL-U625A | 9897967 | 1,368 |  Amber |
| XIL-U625B | 9897554 | 1,368 |  Blue |
| XIL-U625G | 9897561 | 1,368 |  Green |
| XIL-U625R | 9897585 | 1,368 |  Red |
| XIL-U625W | 9897578 | 1,368 |  White |



OPTIMUS SERIES | MARINE



| ITEM# | PART# | RAW LUMENS | WATTS | AMP DRAW@12V | BEAM |
|----------------|---------|------------|-------|--------------|------------|
| XIL-OP110WKIT | 9129914 | 2,104 | 20W | 1.67A | Spot |
| XIL-OP120WKIT | 9148274 | 2,104 | 20W | 1.67A | Med. Flood |
| XIL-OP160WKIT | 9148458 | 2,104 | 20W | 1.67A | Flood |
| XIL-OPR110WKIT | 9149806 | 2,104 | 20W | 1.67A | Spot |
| XIL-OPR120WKIT | 9149981 | 2,104 | 20W | 1.67A | Med. Flood |
| XIL-OPR160WKIT | 9148991 | 2,104 | 20W | 1.67A | Flood |
| XIL-OP210WKIT | 9131719 | 2,104 | 40W | 3.33A | Spot |
| XIL-OP220WKIT | 9148632 | 4,208 | 40W | 3.33A | Med. Flood |
| XIL-OP260WKIT | 9148816 | 4,208 | 40W | 3.33A | Flood |

4.7" LIGHT CANNON | MARINE



| ITEM# | PART# | RAW LUMENS | WATTS | AMP DRAW@12V | BEAM |
|----------------|---------|------------|-------|--------------|------|
| CTL-CPZ110W | 9898858 | 2,500 | 25W | 2.08A | Spot |
| CTL-CPZ110WKIT | 9898841 | 5,000 | 50W | 4.16A | Spot |

DURA 4 & DURA 6 | MARINE



| ITEM# | PART# | RAW LUMENS | WATTS | AMP DRAW@12V | BEAM |
|-----------|---------|------------|-------|--------------|------------|
| DURA-410W | 9891477 | 2,112 | 20W | 1.67A | Spot |
| DURA-440W | 9891491 | 2,112 | 20W | 1.67A | Med. Flood |
| DURA-460W | 9901589 | 2,112 | 20W | 1.67A | Flood |
| DURA-610W | 9891521 | 3,696 | 30W | 2.5A | Spot |
| DURA-640W | 9901596 | 3,696 | 30W | 2.5A | Med. Flood |
| DURA-660W | 9901602 | 3,696 | 30W | 2.5A | Flood |

XMITTER PRIME XTREME | MARINE



| ITEM# | PART# | LENGTH | RAW LUMENS | WATTS | AMP DRAW@12V | BEAM |
|-------------|---------|--------|------------|-------|--------------|------------|
| XIL-PX1210W | 9170503 | 7.90" | 6,336 | 60W | 5A | Spot |
| XIL-PX12MW | 9907390 | 7.90" | 6,336 | 60W | 5A | Mixed |
| XIL-PX1810W | 9902975 | 11.10" | 9,504 | 90W | 7.5A | Spot |
| XIL-PX1840W | 9904627 | 11.10" | 9,504 | 90W | 7.5A | Med. Flood |
| XIL-PX1860W | 9902982 | 11.10" | 9,504 | 90W | 7.5A | Flood |
| XIL-PX3610W | 9163215 | 20.60" | 10,008 | 180W | 14A | Spot |
| XIL-PX5410W | 9903019 | 30.20" | 28,512 | 270W | 22.5A | Spot |
| XIL-PX5460W | 9911458 | 30.20" | 28,512 | 270W | 22.5A | Flood |
| XIL-PX72MW | 9911441 | 39.81" | 38,016 | 360W | 30A | Mixed |
| XIL-PX90MW | 9908861 | 49.37" | 47,520 | 450W | 37.5A | Mixed |

XMITTER LO PRO | MARINE



| ITEM# | PART# | LENGTH | RAW LUMENS | WATTS | AMP DRAW@12V | BEAM |
|--------------|---------|--------|------------|-------|--------------|------------|
| XIL-LPX310W | 9170411 | 4.65" | 1,584 | 15W | 1.25A | Spot |
| XIL-LPX910W | 9902890 | 12.21" | 4,752 | 45W | 3.75A | Spot |
| XIL-LPX940W | 9123073 | 12.21" | 4,752 | 45W | 3.75A | Med. Flood |
| XIL-LPX1540W | 9159706 | 19.77" | 7,920 | 75W | 6.25A | Med. Flood |
| XIL-LPX1810W | 9170596 | 23.55" | 9,504 | 90W | 7.5A | Spot |
| XIL-LPX2740W | 9887692 | 34.89" | 14,256 | 135W | 11.25A | Med. Flood |



HID LIGHT SERIES

PERFORMANCE HID FOR LONG RANGE OUTPUT

The Xtreme Performance HID was engineered with input from Baja 1000 winning racers to further enhance the race proven Vision X HID series. Each light includes a weatherproof Deutsch Connector with Plug-and-Play Harness and features a durable, lightweight polycarbonate blackout cover.

The HID XP Series is currently trusted by professional off-road rally teams in the United States and Canada.

Internal Ballast & Starter:

The ballast takes the standard 12V input power and increases this to the 32,000V that the bulb operates at, and the starter is used to ignite the bulb. Vision X uses all internal components for an all-in-one package.



8.7"

50W | 4.17A | 5,000 Lumens



6.7"

50W | 4.17A | 5,000 Lumens






DIE-CAST ALUMINUM
Housing is constructed using a lightweight aluminum.

BOROSILICATE GLASS LENS
Durable protective glass lens that is resistant to thermal shock.

INTERNAL BALLAST & STARTER
Integrated into the housing for a complete offroad ready package.




8.7" XP MODEL



| ITEM# | PART# | LUMENS | DISTANCE | BEAM |
|------------|---------|--------|----------|-------|
| HID-8550XP | 9119922 | 5,000 | 3,937' | Mixed |
| HID-8552XP | 4000490 | 5,000 | 3,937' | Spot |

6.7" XP MODEL



| ITEM# | PART# | LUMENS | DISTANCE | BEAM |
|------------|---------|--------|----------|------|
| HID-6552XP | 4000483 | 5,000 | 3,280' | Spot |



HALOGEN SEALED BEAM HEADLIGHT REPLACEMENT

SEALED BEAM DIRECT REPLACEMENT

The Sealed Beam Housing are the perfect upgrade to your OEM headlight. The die-cast housing are constructed with a Borosilicate glass lens which provide a tougher alternative to the stock plastic lens. Coupled with the advanced multi-surface reflector, the Sealed Beam Headlight series are made to last.

*Bulb Not Included



ROUND
7.0" | 5.75"



SQUARE
5x7" | 4x6"



| ROUND MODEL | | | |
|-------------|---------|-------|-----------|
| ITEM# | PART# | SIZE | BULB TYPE |
| VX-7RD | 4004047 | 7.0" | H4 |
| VX-575 | 4004030 | 5.75" | 9007 |

| SQUARE MODEL | | | |
|--------------|---------|------|-----------|
| ITEM# | PART# | SIZE | BULB TYPE |
| VX-57 | 4004023 | 5x7" | H4 |
| VX-46 | 4004016 | 4x6" | 9007 |



HALOGEN BULBS

VX-D9004 | 65/45W



VX-D9005 | 65W



VX-D9006 | 55W



VX-D9007 | 65/55W



VX-DH1 | 55W



VX-DH3 | 60/66W



VX-DH4 | 60/55W



VX-DH7 | 55W



VX-DH10 | 42W



VX-DH11 | 55W



VX-DH13 | 55/60W



HALOGEN BULBS FOR BRIGHTER AND WHITER LIGHT

Increase brightness by up to 50% with the Vision X headlight bulbs. Vision X headlight bulbs provide a more natural light for increased visibility and safety. With three lines to choose from, we offer the perfect mix of cost and performance for any driver.

Unlike other Halogen Bulbs on the market, Vision X D-Series bulbs are DOT Approved and offer a lifetime warranty. Enhance your night time driving experience while cooperating with all laws and regulations.

* For H&L Series Bulbs refer to website for Part #s.

| ITEM# | PART# | REPLACES | FILAMENT |
|----------|---------|----------|----------|
| VX-D9004 | 4001527 | 9004 | DUAL |
| VX-D9005 | 4001534 | 9005 | SINGLE |
| VX-D9006 | 4001558 | 9006 | SINGLE |
| VX-D9007 | 4001572 | 9007 | DUAL |
| VX-DH1 | 4001589 | H1 | SINGLE |
| VX-DH3 | 4001596 | H3 | SINGLE |
| VX-DH4 | 4001602 | H4 | DUAL |
| VX-DH7 | 4001619 | H7 | SINGLE |
| VX-DH10 | 4001633 | H10 | SINGLE |
| VX-DH11 | 4001657 | H11 | SINGLE |
| VX-DH13 | 4001664 | H13 | DUAL |

LIGHTING ACCESSORIES

- 78 Mounting Solutions
- 80 Pod Light Covers
- 82 Light Bar Covers
- 83 Lighting Accessories







MOUNTING | SOLUTIONS



LICENSE PLATE MOUNT | KIT

The License Plate Mount makes it easy to add any 12" Vision X LED Light Bar, meaning that you can add up to 4,700 lumens to your vehicle with no drill holes or mess.

| ITEM# | PART# | LIGHTS |
|--------------------|---------|------------------------|
| XIL-LICENSEP | 4000308 | Bracket Only |
| XIL-LICENSEPLPX910 | 9887012 | 12" Xmitter Lo Pro 10° |



WINCH MOUNT | KITS

The Vision X 6" and 10" winch mount allows you to add our 12" Xmitter Lo Pro to the front of your vehicle and boost your lumen output.

| ITEM# | PART# | LIGHTS |
|-------------------|---------|------------------------|
| XIL-WINCH10 | 9892320 | (10") Bracket Only |
| XIL-WINCH10LPX910 | 9892344 | 12" Xmitter Lo Pro 10° |
| XIL-WINCH6 | 9892313 | (6") Bracket Only |
| XIL-WINCH6LPX910 | 9892337 | 12" Xmitter Lo Pro 10° |



TOW HITCH MOUNT | KITS

The Vision X 11.5" backup light receiver adapter uses machined 6061 aluminum and will fit over any Class 3 or 4 (2") tow hitch.

| ITEM# | PART# | LIGHTS |
|----------------------|---------|------------------|
| XIL-SRECEIVER | 4000322 | Bracket Only |
| XIL-SRECEIVERS1101X2 | 4008595 | 2x Solstice Solo |



*Includes 2 Clamps

TUBE CLAMP | MOUNTS

| ITEM# | PART# | SIZE | ITEM# | PART# | SIZE |
|----------|---------|-------|----------|---------|-------|
| XIL-C075 | 9897325 | 0.75" | XIL-C200 | 9893372 | 2.0" |
| XIL-C100 | 9897301 | 1.0" | XIL-C225 | 9893389 | 2.25" |
| XIL-C125 | 9897288 | 1.25" | XIL-C250 | 9893396 | 2.50" |
| XIL-C150 | 9897264 | 1.50" | XIL-C300 | 9893402 | 3.50" |
| XIL-C175 | 9897240 | 1.75" | | | |



FLUSH MOUNT | KITS



| ITEM# | PART# | LIGHTS |
|------------------------|---------|-------------------|
| DURA-M460FLUSHV2REVKIT | 9933115 | (2) Dura Mini 60° |
| DURA-M4MFLUSHV2KIT | 9933108 | (2) Dura Mini M4M |
| DURA-460FLUSH | 9892993 | Dura4 60° |
| DURA-660FLUSH | 9893006 | Dura6 60° |

LIGHT BAR END CAP | MOUNTS

Using End Cap Mounts allow you to mount your light bar in tight spots where standard mounting won't cut it. Ideal for Roof, Bumper and Grill locations.



| ITEM# | PART# | DESIGNED FOR |
|-----------|---------|----------------|
| XIL-LPECM | 9888811 | Xmitter Lo Pro |
| XIL-PECM | 9889191 | Xmitter Prime |
| XPI-EM | 9892917 | XPR & XPR-S |

SECURITY | HARDWARE

Security hardware helps protect your lights against theft by only allowing the use of the unique key tool that is supplied with each set.



All Security Hardware comes with 2 Security Nuts Or Bolts and 1 key tool.

| SECURITY BOLTS | | | | SECURITY NUTS | | | |
|----------------|---------|---------|------------------|---------------|---------|------|--|
| ITEM# | PART# | SIZE | APPLICATION | ITEM# | PART# | SIZE | APPLICATION |
| XIL-SB0615 | 9893440 | M6 X 15 | XPR, XPR-S | XIL-SN06 | 9897349 | M6 | Dura Mini, Xmitter Prime Xtreme, Xmitter Lo Pro, Solstice Solo |
| XIL-SB0620 | 9893457 | M6 X 20 | Any M6 X 20 Bolt | XIL-SN08 | 9893488 | M8 | 4.7" Cannon, Optimus |
| XIL-SB0815 | 9893419 | M8 X 15 | Optimus, Duralux | XIL-SN10 | 9893471 | M10 | All Cannon, Optimus Dual |
| XIL-SB0820 | 9893426 | M8 X 20 | Any M8 X 20 Bolt | XIL-SN12 | 9893464 | M12 | Any M12 Mounting Hardware |
| XIL-SB0825 | 9893433 | M8 X 25 | Any M8 X 25 Bolt | | | | |

SNAP-ON | LIGHT COVERS

25 LIGHTS IN 1 WITH POLYCARBONATE COVERS

Each Light Cannon is 25 Lights In One with the help of the unbreakable polycarbonate snap-on covers that can alter the beam pattern and change the color of the Cannon. Tackle any weather condition with the proper color cover, or quickly change your spot cover to a flood cover for a wider beam when necessary.

COLOR OPTIONS



BLACKOUT | PROTECTIVE
Covers the fixture with a solid black protective cover with a high contrast "X" logo. Required in select states for on-road use.



CLEAR | PROTECTIVE
Protects light from dust, debris and particulates without changing light color or performance.



AMBER | FOG
Battles fog conditions by reducing the amount of blue light. Mimics classic Halogen color temperature. Great for driving in fog at high speeds.



BLUE | SNOW
Increases lighting distance when used in snow conditions by reflecting the blue light off the snow. Recommended for vehicles in heavy winter conditions.



RED | DUST
Reduces light temperature and glare back in order to enhance penetration in dust and air particulate. Ideal for vehicles in extreme dust conditions.

BEAM OPTIONS



SPOT
Spot covers maintain original lighting beam pattern while protecting the lens from harmful debris.



COMBO
Combo covers combine the distance of a spot cover with the added peripheral illumination of an elliptical cover.



EURO
Illuminate some peripherals while maintaining effective distance.



ELLIPTICAL
Reduces peripheral illumination while losing minor distance.



WIDE FLOOD
Maximum wide field of view illumination in exchange for distance.



TRAIL FLOOD
Maximum vertical field of view illumination in exchange for distance.

*Glows in the Dark



BLACK | PROTECTIVE

| ITEM # | PART # | SIZE |
|------------|---------|------|
| PCV-OPR1BL | 9889580 | 3.7" |
| PCV-CP1BL | 9157450 | 4.7" |
| PCV-6500BL | 9160245 | 6.7" |
| PCV-8500BL | 9890876 | 8.7" |

3.7" MINI CANNON / OPTIMUS

| ITEM # | PART # | BEAM | ITEM # | PART # | BEAM | | |
|---|-------------|---------|-------------|--|-------------|---------|-------------|
|  | PCV-OPR1 | 9889528 | SPOT |  | PCV-OPR1B | 9889559 | SPOT |
| | PCV-OPR1EU | 9889535 | EURO | | PCV-OPR1BEU | 9889566 | EURO |
| | PCV-OPR1FL | 9889542 | TRAIL FLOOD | | PCV-OPR1BFL | 9889573 | TRAIL FLOOD |
| | PCV-OPR1WF | 9890944 | WIDE FLOOD | | PCV-OPR1BWF | 9890906 | WIDE FLOOD |
| | PCV-OPR1EL | 9890913 | ELLIPTICAL | | PCV-OPR1BEL | 9890890 | ELLIPTICAL |
| CLEAR PROTECTIVE | | | | BLUE SNOW | | | |
|  | PCV-OPR1Y | 9889740 | SPOT |  | PCV-OPR1R | 9889719 | SPOT |
| | PCV-OPR1YEU | 9889757 | EURO | | PCV-OPR1REU | 9889726 | EURO |
| | PCV-OPR1YFL | 9889764 | TRAIL FLOOD | | PCV-OPR1RFL | 9889733 | TRAIL FLOOD |
| | PCV-OPR1YWF | 9890968 | WIDE FLOOD | | PCV-OPR1RWF | 9890937 | WIDE FLOOD |
| | PCV-OPR1YEL | 9890951 | ELLIPTICAL | | PCV-OPR1REL | 9890920 | ELLIPTICAL |
| AMBER FOG | | | | RED DUST | | | |

4.7" LIGHT CANNON COVERS

| ITEM # | PART # | BEAM | ITEM # | PART # | BEAM | | |
|--|------------|---------|-------------|---|------------|---------|-------------|
|  | PCV-CP1 | 9151151 | SPOT |  | PCV-CP1B | 9157184 | SPOT |
| | PCV-CP1CB | 9896632 | COMBO | | PCV-CP1BCB | 9896700 | COMBO |
| | PCV-CP1EU | 9151243 | EURO | | PCV-CP1BEU | 9157276 | EURO |
| | PCV-CP1FL | 9151335 | TRAIL FLOOD | | PCV-CP1BFL | 9157368 | TRAIL FLOOD |
| | PCV-CP1WF | 9890562 | WIDE FLOOD | | PCV-CP1BWF | 9890654 | WIDE FLOOD |
| | PCV-CP1EL | 9890661 | ELLIPTICAL | | PCV-CP1BEL | 9890647 | ELLIPTICAL |
| CLEAR PROTECTIVE | | | | BLUE SNOW | | | |
|  | PCV-CP1Y | 9157726 | SPOT |  | PCV-CP1R | 9162492 | SPOT |
| | PCV-CP1YCB | 9896656 | COMBO | | PCV-CP1RCB | 9896649 | COMBO |
| | PCV-CP1YEU | 9157818 | EURO | | PCV-CP1REU | 9157542 | EURO |
| | PCV-CP1YFL | 9157900 | TRAIL FLOOD | | PCV-CP1RFL | 9157634 | TRAIL FLOOD |
| | PCV-CP1YWF | 9890586 | WIDE FLOOD | | PCV-CP1RWF | 9890883 | WIDE FLOOD |
| | PCV-CP1YEL | 9890579 | ELLIPTICAL | | PCV-CP1REL | 9890678 | ELLIPTICAL |
| AMBER FOG | | | | RED DUST | | | |

6.7" LIGHT CANNON COVERS

| ITEM # | PART # | BEAM | ITEM # | PART # | BEAM | | |
|---|-------------|---------|-------------|--|-------------|---------|-------------|
|  | PCV-6500 | 4003248 | SPOT |  | PCV-6500B | 4003569 | SPOT |
| | PCV-6500CB | 9895703 | COMBO | | PCV-6500BCB | 9895710 | COMBO |
| | PCV-6500EU | 9888453 | EURO | | PCV-6500BEU | 9888460 | EURO |
| | PCV-6500FL | 9888491 | TRAIL FLOOD | | PCV-6500BFL | 9888507 | TRAIL FLOOD |
| | PCV-6500WF | 9888771 | WIDE FLOOD | | PCV-6500BWF | 9889788 | WIDE FLOOD |
| | PCV-6500EL | 9890616 | ELLIPTICAL | | PCV-6500BEL | 9890609 | ELLIPTICAL |
| CLEAR PROTECTIVE | | | | BLUE SNOW | | | |
|  | PCV-6500Y | 4002784 | SPOT |  | PCV-6500R | 4004689 | SPOT |
| | PCV-6500YCB | 9895734 | COMBO | | PCV-6500RCB | 9895727 | COMBO |
| | PCV-6500YEU | 9888484 | EURO | | PCV-6500REU | 9888477 | EURO |
| | PCV-6500YFL | 9888521 | TRAIL FLOOD | | PCV-6500RFL | 9888514 | TRAIL FLOOD |
| | PCV-6500YWF | 9889801 | WIDE FLOOD | | PCV-6500RWF | 9889795 | WIDE FLOOD |
| | PCV-6500YEL | 9890630 | ELLIPTICAL | | PCV-6500REL | 9890623 | ELLIPTICAL |
| AMBER FOG | | | | RED DUST | | | |

8.7" LIGHT CANNON COVERS

| ITEM # | PART # | BEAM | ITEM # | PART # | BEAM | | |
|---|-------------|---------|-------------|--|-------------|---------|-------------|
|  | PCV-8500 | 4003255 | SPOT |  | PCV-8500B | 4003583 | SPOT |
| | PCV-8500CB | 9896663 | COMBO | | PCV-8500BCB | 9896670 | COMBO |
| | PCV-8500EU | 9890128 | EURO | | PCV-8500BEU | 9890098 | EURO |
| | PCV-8500FL | 9890135 | TRAIL FLOOD | | PCV-8500BFL | 9890104 | TRAIL FLOOD |
| | PCV-8500WF | 9890463 | WIDE FLOOD | | PCV-8500BWF | 9890111 | WIDE FLOOD |
| | PCV-8500EL | 9890081 | ELLIPTICAL | | PCV-8500BEL | 9890869 | ELLIPTICAL |
| CLEAR PROTECTIVE | | | | BLUE SNOW | | | |
|  | PCV-8500Y | 4002791 | SPOT |  | PCV-8500R | 4003576 | SPOT |
| | PCV-8500YCB | 9896694 | COMBO | | PCV-8500RCB | 9896687 | COMBO |
| | PCV-8500YEU | 9890470 | EURO | | PCV-8500REU | 9890432 | EURO |
| | PCV-8500YFL | 9890487 | TRAIL FLOOD | | PCV-8500RFL | 9890449 | TRAIL FLOOD |
| | PCV-8500YWF | 9890142 | WIDE FLOOD | | PCV-8500RWF | 9890456 | WIDE FLOOD |
| | PCV-8500YEL | 9890159 | ELLIPTICAL | | PCV-8500REL | 9890425 | ELLIPTICAL |
| AMBER FOG | | | | RED DUST | | | |



LIGHT BAR | COVERS

XPR/XPR-S | BLACKOUT



| ITEM# | PART# | LENGTH / MODEL |
|-------------|---------|-----------------|
| PCV-XP3SBL | 9898797 | 6" XPR / XPR-S |
| PCV-XP6SBL | 9898803 | 12" XPR / XPR-S |
| PCV-XP9MBL | 9898810 | 19" XPR / XPR-S |
| PCV-XP12MBL | 9898728 | 24" XPR / XPR-S |
| PCV-XP15MBL | 9898735 | 30" XPR / XPR-S |

| ITEM# | PART# | LENGTH / MODEL |
|-------------|---------|-----------------|
| PCV-XP18MBL | 9898742 | 34" XPR / XPR-S |
| PCV-XP21MBL | 9898759 | 40" XPR / XPR-S |
| PCV-XP24MBL | 9898766 | 45" XPR / XPR-S |
| PCV-XP27MBL | 9898773 | 51" XPR / XPR-S |

XPL | BLACKOUT



| ITEM# | PART# | LENGTH / MODEL |
|-------------|---------|----------------|
| PCV-XPL3BL | 9931654 | 6" XPL |
| PCV-XPL6BL | 9931678 | 10" XPL |
| PCV-XPL9BL | 9931692 | 13" XPL |
| PCV-XPL15BL | 9931579 | 20" XPL |
| PCV-XPL24BL | 9931593 | 32" XPL |
| PCV-XPL30BL | 9931616 | 40" XPL |
| PCV-XPL39BL | 9931630 | 51" XPL |

XPL | AMBER



| ITEM# | PART# | LENGTH / MODEL |
|------------|---------|----------------|
| PCV-XPL3Y | 9931661 | 6" XPL |
| PCV-XPL6Y | 9931685 | 10" XPL |
| PCV-XPL9Y | 9931708 | 13" XPL |
| PCV-XPL15Y | 9931586 | 20" XPL |
| PCV-XPL24Y | 9931609 | 32" XPL |
| PCV-XPL30Y | 9931623 | 40" XPL |
| PCV-XPL39Y | 9931647 | 51" XPL |

XMITTER PRIME XTREME | BLACKOUT



| ITEM# | PART# | LENGTH / MODEL |
|-----------|---------|-----------------------|
| PCV-P6BL | 9156019 | 5" Xmitter Prime Xtr |
| PCV-P12BL | 9156101 | 8" Xmitter Prime Xtr |
| PCV-P18BL | 9156194 | 11" Xmitter Prime Xtr |
| PCV-P30BL | 9156378 | 18" Xmitter Prime Xtr |
| PCV-P36BL | 9156460 | 20" Xmitter Prime Xtr |
| PCV-P54BL | 9156736 | 30" Xmitter Prime Xtr |
| PCV-P72BL | 9157009 | 40" Xmitter Prime Xtr |
| PCV-P90BL | 9888064 | 50" Xmitter Prime Xtr |

XMITTER PRIME XTREME | AMBER



| ITEM# | PART# | LENGTH / MODEL |
|----------|---------|-----------------------|
| PCV-P6Y | 9166186 | 5" Xmitter Prime Xtr |
| PCV-P12Y | 9165288 | 8" Xmitter Prime Xtr |
| PCV-P18Y | 9165370 | 11" Xmitter Prime Xtr |
| PCV-P30Y | 9165554 | 18" Xmitter Prime Xtr |
| PCV-P36Y | 9165646 | 20" Xmitter Prime Xtr |
| PCV-P54Y | 9165912 | 30" Xmitter Prime Xtr |
| PCV-P72Y | 9166278 | 40" Xmitter Prime Xtr |
| PCV-P90Y | 9887883 | 50" Xmitter Prime Xtr |




LIGHTING | ACCESSORIES



PRIME DIMMER | MODULE

| ITEM# | PART# | CONTROL | DIMMER RANGE |
|--------------|---------|-----------|--------------|
| XIL-PDIMMER | 4009257 | Dial Knob | 50% - 100% |
| XIL-PDIMMERB | 4009264 | Button | 50% Or 100% |



VX HEADLIGHT | MODULE

| ITEM# | PART# | FUNCTION |
|---------------|---------|---|
| P-HLH14 | 9895475 | Engages all three beam modes at once for maximum visibility |
| P-HLH14H13KIT | 9932590 | Engages all three beam modes at once for maximum visibility w/H13 Jeep JK Plugs (Pair) |
| P-HLCBAH13 | 9898476 | Prevents flickering w/H13 Plugs. Allows for use with Jeep JK for non Jeep Specific Headlights to Prevent flickering. (w/H13 Plugs) |



UNIVERSAL HARNESSES | WIRING

| ITEM# | PART# | CONNECTORS | APPLICATION |
|----------------|---------|-------------------|--------------------------|
| P-HARNESS.2XIL | 4006201 | Terminals | 2 Light Harness |
| P-HARNESS.XIL | 4006195 | Terminals | 1 Light Harness |
| P-HARNESS.HO | 9888354 | Terminals | High Amp 1 Light Harness |
| P-DY2M1F | 4006263 | Deutsch DT Series | Y Adapter |
| P-UCA | 4006218 | Cigarette Adapter | Cigarette Power Cord |

VISIONXLIGHTING.COM

VISION X AUTOMOTIVE
VXAutomotive.com

VISION X INDUSTRIAL
VXIndustrial.com

VISION X STRUCTURAL
VXStructural.com

VISION X MARITIME
VXMaritime.com

VISION X HEADQUARTERS
1601 Boundary Blvd
Auburn WA, 98001
United States of America
P: 253-218-2900

VISION X ASIA (KR FACTORY)
23-7 Dongtansandan
9-gil Dongtan-myeon Hwaseong-si
Gyeonggi-do 18487, Korea
P: 82-32-515-4814

VISION X GLOBAL (CN FACTORY)
2059 Duhui Road Bld D Floor 5
Minhang, Shanghai
China, 20100
P: 82-1670-4813

